bird arch vol 11

Index to Vols. I—X July, 1918

PARASITOLOGY

EDITED BY

GEORGE H. F. NUTTALL, F.R.S.
Quick Professor of Biology in the University of Cambridge

ASSISTED BY

EDWARD HINDLE, PH.D.

GENERAL LIBRARY
JAN 18 19
UNIV. OF MICH.

CAMBRIDGE UNIVERSITY PRESS
C. F. CLAY, MANAGER
LONDON: FETTER LANE, E.C. 4
ALSO
H. K. LEWIS AND CO., LTD., 136, GOWER STREET, LONDON, W.C. 1
WILLIAM WESLEY AND SON, 28, ESSEX STREET, STRAND, LONDON, W.C. 2
CHICAGO: THE UNIVERSITY OF CHICAGO PRESS
BOMBAY, CALCUTTA, MADRAS: MACMILLAN & CO., LTD.
TORONTO: J. M. DENT AND SONS, LTD.
TOKYO: THE MARUZEN-KABUSHIKI-KAISHA

Price Five Shillings net

[*Issued* 30 *July*, 1918]

CAMBRIDGE UNIVERSITY PRESS

Second impression. Crown 8vo. pp. xxii + 328. *Price 5s. net.*

SCIENCE AND THE NATION

ESSAYS BY CAMBRIDGE GRADUATES

WITH AN INTRODUCTION BY THE RIGHT HON. LORD MOULTON, K.C.B., F.R.S.

EDITED BY

A. C. SEWARD, F.R.S.

MASTER OF DOWNING COLLEGE, CAMBRIDGE

It is the aim of the authors of these essays to present the results of experience in scientific investigation, to illustrate by concrete examples the sources of progress in a few departments of knowledge and so make clear to the layman the position of research as a factor in national prosperity. Each Essay has been written by some one who, by lifelong study and practice of the Branch of Science to which it relates, has qualified himself to give a just and authoritative description of the work that has already been done as well as of the bearing of that work on the present and its promise for the future.

Extracts from Press Notices

"One of the most important and most illuminating of recently published volumes on the place of science in national life.... The admirable essays contained in the volume give assurance that the men who are chiefly responsible for the direction of scientific instruction in this country have the root of the matter in them, that British science is sound and vigorous at its centre, and that what is mainly required is the intellectual and financial support of the nation as a whole."

Leading Article in Glasgow Herald

"This is a fascinating book, and it fulfils its purpose admirably of helping ordinary people to grasp the value of scientific research.... The essays are the clearest popular exposition with which we are acquainted of the achievements of modern science in the service of man."—*Inquirer*

"In essay after essay—from the impressive opening one on 'The National Importance of Chemistry' to that on 'The Government of Subject Peoples,' which concludes the series—we have a recital of the achievements of science in its various branches, and it is brought home to us in the most convincing manner how the great discoveries and inventions—coal-tar dyes, X-rays, wireless telegraphy, the production of a rust-resisting wheat of large yielding capacity, the modern treatment of disease—have all been rendered possible and are all the outcome of a 'steady pursuit of knowledge by rational and intelligent research.'"—*New Statesman*

"The chapters are of the utmost interest to the general reader; they give him compactly and authoritatively a sound idea of the scope and value of contemporary work in chemistry, physics, botany, geology, medicine, mathematics, and anthropology."—*Nature*

"The whole region of scientific research is surveyed by the contributors to *Science and the Nation*, and their observations will be invaluable to those who really wish to have a firm grasp of the true problems of intellectual reconstruction on the scientific side."—*Morning Post*

Cambridge University Press, Fetter Lane, London, E.C. 4

C. F. Clay, Manager

INDEX OF AUTHORS

VOLS. I—X (1908—1918)

	VOL.	PAGE
ACTON, H. W. and HARVEY, W. F. The nature and specificity of Negri bodies. (With Plate XI and 2 Text-figures)	IV	255
ACTON, H. W. and HARVEY, W. F. The fixation of Rabies Virus in the Monkey (*Macacus rhesus*) with a study of the appearance of Negri bodies in the different passages. (With Plate X)	V	227
ADERS, W. M. *Herpetomonas aspongopi*. (With 2 Figures)	II	202
ATKIN, E. E. and BACOT, A. The Relation between the Hatching of the Eggs and the Development of the Larvae of *Stegomyia fasciata* (*Aëdes calopus*), and the Presence of Bacteria and Yeasts	IX	482
AVARI, C. R., *see* PETRIE.		
BACOT, A. The persistence of *Bacillus pyocyaneus* in pupae and imagines of *Musca domestica* raised from Larvae experimentally infected with the bacillus	IV	68
BACOT, A. A Contribution to the Bionomics of *Pediculus humanus* (*vestimenti*) and *Pediculus capitis*. (With 4 Text-figures)	IX	228
BACOT, A. A Note on the period during which the Eggs of *Stegomyia fasciata* (*Aëdes calopus*) from Sierra Leone Stock retain their vitality in a Humid Temperature	X	280
BACOT, A., *see* ATKIN.		
BACOT, A. and RIDEWOOD, W. G. Observations on the Larvae of Fleas. (With 6 Text-figures)	VII	157
BAHR, P. H. An Epidemiological Study of Filariasis in Ceylon. (With 1 Map)	VII	128
BAHR, P. H. Studies on Malaria in Ceylon. With Special Reference to its Prevention in Agricultural Districts. (With Plates VIII—XIII and 2 Maps)	VII	135
BALFOUR, A. Note regarding the new Buffalo Spirochaete	III	319
BALFOUR, A. The Life-cycle of *Spirochaeta gallinarum*. An Appreciation and a Criticism of Dr E. Hindle's Recent Paper	V	122
BALFOUR, A. A Sarcocyst of a Gazelle (*G. rufifrons*) showing Differentiation of Spores by Vital Staining. (With Plates VIII and IX)	VI	52
BALFOUR, A. On the occurrence of Herpetomonads (?) in Gerbils	VIII	260
BAYLIS, H. A. Some Ascarids in the British Museum (Natural History). (With Plates XIV—XVII)	VIII	360
BAYLIS, H. A. The types of the species *Ascaris* described by Baird. (With 3 Text-figures)	VIII	411

	VOL.	PAGE
BAYON, H. The Experimental Transmission of the Spirochaete of European Relapsing Fever to Rats and Mice. (With 3 Text-figures)	V	135
BISHOPP, F. C. and WOOD, H. P. The Biology of some North American Ticks of the Genus *Dermacentor*. (With Plates X—XII and 1 Map)	VI	153
BOSANQUET, W. C. A Note on the Spirochaete present in Ulcerative Granuloma of the Pudenda of Australian Natives. (With 5 Text-figures)	II	344
BOULENGER, C. L. List of Nematode Parasites in the Alimentary Canal of Sheep in England. (With Plate XIX and 4 Text-figures)	VII	240
BOULENGER, C. L. The Life History of *Nematodirus filicollis* Rud., a Nematode Parasite of the Sheep's Intestine. (With Plates VIII and IX and 5 Text-figures)	VIII	133
BOULENGER, C. L. Sclerostome Parasites of the Horse in England. I. The genera *Triodontophorus* and *Oesophagodontus*. (With Plate XXII and 7 Text-figures)	VIII	420
BOULENGER, C. L. Sclerostome Parasites of the Horse in England. II. New Species of the Genus *Cylichnostomum*. (With 5 Text-figures)	IX	203
BRADDON, W. L. Some peculiar and probably specific bodies in the erythrocytes in rinderpest and another allied disease. With some observations on the specimens by Col. Sir Wm. Leishman and Prof. E. A. Minchin. (With Plate XIX)	VI	265
CAMPBELL, A. E., *see* INNES.		
CASTELLANI, A. Note on a Liver Abscess of Amoebic Origin in a Monkey. (With Plate VIII)	I	101
CAVE, C. A Note on the Presence of *Ostertagia trifurcata* in the Abomasum of a Sheep in England. (With 3 Text-figures)	VII	201
CHRISTOPHERS, S. R. The Development of *Leucocytozoon canis* in the Tick with a Reference to the Development of *Piroplasma*. (With 2 Diagrams)	V	37
CLELAND, J. B. Note on Spirochaetes in Castration Tumours of Pigs	I	218
COCKIN, R. P. Ankylostomiasis in Grenada	VI	57
COLES, A. C. Trypanosomes found in a Cow in England	V	247
COLES, A. C. Blood Parasites found in Mammals, Birds and Fishes in England. (With Plates II—V)	VII	17
COLES, A. C. Multiplication-forms of *Trypanosoma lewisi* in the Body of the Rat. (With Plates X and XI)	VIII	184
COLLIN, J. E. (Appendix to paper by D. Keilin)	IX	441
Communication received from the Society for the Destruction of Vermin	I	284
COOPER, W. F., *see* NUTTALL.		
COOPER, W. F. and LAWS, H. E. Some Observations on the Theory and Practice of Dipping. (With Plate XII and 2 Text-figures)	VIII	190
CUNLIFFE, N. The Variability of *Rhipicephalus pulchellus* (Gerstäcker, 1873), together with its Geographical Distribution. (With 6 Text-figures)	VI	204
CUNLIFFE, N. *Rhipicephalus sanguineus*. Variation in Size and Structure due to Nutrition. (With 4 Text-figures)	VI	372

	VOL.	PAGE
CUNLIFFE, N. Observations on *Argas brumpti* Newmann, 1907. (With 1 Text-figure)	VI	379
CUNLIFFE, *see* HINDLE.		
DARLING, S. T. The probable mode of infection and the methods used in controlling an outbreak of equine trypanosomiasis (*Murrina*) in the Panama Canal zone	IV	83
DAVIDSON, *see* ROBINSON.		
DOBELL, C. Some Notes on the Haemogregarines Parasitic in snakes. (With Plate XX)	I	288
DOBELL, C. Are *Entamoeba histolytica* and *Entamoeba ranarum* the same Species?	X	294
DOBELL, C., *see* JEPPS.		
DOBELL, C. and JEPPS, M. W. A study of the diverse races of *Entamoeba histolytica* distinguishable from one another by the dimensions of their cysts. (With Plate VI and 7 Text-figs.)	X	320
DODD, *see* GILRUTH.		
DOLD, H. On the so-called Bottle-Bacillus (*Dermatophyton malassezi*). (With Plate XXI)	III	279
DREW, G. H. Some Notes on Parasitic and other Diseases of Fish. (With Plate II)	II	193
DREW, G. H. Some Notes on Parasitic and other Diseases of Fish. (With Plate IX)	III	54
DREW, G. H. A note on the application of Giemsa's Romanowsky stain to the blood and tissues of marine invertebrates	IV	19
DSCHUNKOWSKY, E. and LUHS, T. *Nuttallia* und *Piroplasma* bei der Piroplasmose der Einhufer in Transkaukasien. (With Plates XIV and XV)	V	289
DURHAM, H. E. Notes on Nagana and on some Haematozoa observed during my travels	I	227
FANTHAM, H. B. The Schizogregarines: a Review and a New Classification	I	369
FANTHAM, H. B. The Spirochaetes found in the Crystalline Style of *Tapes aureus*: a Study in Morphological Variation. (With Plate VI and 2 Text-figures)	II	392
FANTHAM, *see* NUTTALL.		
FANTHAM, H. B. and PORTER, A. On the Natural Occurrence of Herpetomonads (Leptomonads) in Mice. (With 7 Text-figures)	VIII	128
GARROOD, J. R. Note on a case of Intestinal Myiasis	III	315
GILCHRIST, J. D. F. The life history of *Distoma luteum* n. sp. with notes on some Cercariae and Rediae found in South Africa	X	311
GILRUTH, J. A., SWEET, G. and DODD, S. Observations on the occurrence in the blood of various animals (chiefly monotremes and marsupials) of bodies apparently identical with *Anaplasma marginale* Theiler, 1910. (With Plate I)	IV	1
GOODALL, A. The Trypanblue Treatment in Piroplasmosis of Domesticated Animals in South Africa	VII	62

	VOL.	PAGE
GOODEY, T. and WELLINGS, A. W. Observations on the *Entamoeba gingivalis* from the Human Mouth with a Note on the trichomonad Flagellate *Tetratrichomonas buccalis* n. sp. (With Plates XX—XXII)	IX	537
GOUGH, L. H. The Anatomy of *Stilesia globipunctata* (Rivolta). (With 2 Text-figures)	V	114
GÓZONY, L., *see* HINDLE.		
GRAHAM-SMITH, G. S. The Division and Post-fission Movements of Bacilli when grown on Solid Media. (With Plates III—VIII and 14 Text-figures)	III	17
GRAHAM-SMITH, G. S. Observations on the habits and parasites of common flies. (With Plates XXIII—XXX, 7 Text-figures and 9 Charts)	VIII	440
GRAHAM-SMITH, G. S., *see* NUTTALL.		
GROVE, A. J. The Anatomy of *Siphonophora rosarum*, Walk., the "Green-fly" pest of the Rose-tree. Part I. The Apterous Viviparous Stage. (With Plate I and 15 Text-figures)	II	1
GROVE, A. J. The Anatomy of *Siphonophora rosarum*, Walk., the "Green-fly" pest of the Rose-tree. Part II. The Winged Viviparous Stage compared with the Apterous Viviparous Stage. (With Plates I and II and 2 Text-figures)	III	1
HADWEN, S. The Life-history of *Dermacentor variabilis*	V	234
HADWEN, S. On "Tick Paralysis" in sheep and man following bites of *Dermacentor venustus*. (With Plates XXI and XXII)	VI	283
HADWEN, S. Warble Flies. A further Contribution on the Biology of *Hypoderma lineatum* and *Hypoderma bovis*. (With Plates XXIV and XXV)	VII	331
HADWEN, S., *see* NUTTALL, *see* WATSON.		
HADWEN, S. and NUTTALL, G. H. F. Experimental "tick paralysis" in the dog	VI	298
HALL, I. W., *see* HARRISON.		
HARDING, W. A. Note on a Gnathobdellid Leech (*Limnatis* sp.?) from Angola	I	186
HARDING, W. A. Note on Leeches sent by Dr E. W. G. Masterman from Palestine	I	282
HARDING, W. A. A Revision of the British Leeches. (With Plates XIII—XV and 16 Text-figures)	III	130
HARRISON, A. J. and HALL, I. W. Fatal Enteritis in a Tiger caused by *Physaloptera praeputialis*	II	29
HARRISON, L. On a New Family and Five New Genera of Mallophaga. (With Plates XXVI and XXVII)	VII	383
HARRISON, L. Mallophaga from *Apteryx*, and their Significance; with a Note on the Genus *Rallicola*. (With 6 Text-figures)	VIII	88
HARRISON, L. The Respiratory System of Mallophaga. (With 21 Text-figures)	VIII	101
HARRISON, L. The Genera and Species of Mallophaga	IX	1
HARRISON, L. and JOHNSTON, T. H. Mallophaga from Marsupials. I. (With 14 Text-figures)	VIII	338
HARVEY, W. F., *see* ACTON.		

	VOL.	PAGE
HEAPE, W. Note on the so-called Musculature of *Taenia ellipica*. (With Plate XVII)	III	217
HENRY, H. *Haemogregarina anarrhichadis* from *Anarrhicas lupus*, the Catfish. (With Plate VIII)	V	190
HEWITT, C. G. *Fannia* (*Homalomyia*) *canicularis* Linn. and *F. scalaris* Fab. An Account of the Bionomics and the Larvae of the Flies and their Relation to Myiasis of the Intestinal and Urinary Tracts. (With Plate VII and 7 Text-figures)	V	161
HEWITT, C. G. The Occurrence of a Slug (*Limax* sp.) in the Human Stomach	VII	127
HILL, E. Note on Ankylostomiasis in Natal	III	312
HINDLE, E. Degeneration Phenomena of *Trypanosoma gambiense*. (With Plate XXX)	III	423
HINDLE, E. A Biometric Study of *Trypanosoma gambiense*	III	455
HINDLE, E. The passage of *Trypanosoma gambiense* through mucous membranes and skin	IV	24
HINDLE, E. The transmission of *Spirochaeta duttoni*	IV	133
HINDLE, E. The relapsing fever of Tropical Africa. A Review. (With 2 Maps and 1 Chart)	IV	183
HINDLE, E. On the life-cycle of *Spirochaeta gallinarum*. Preliminary Note. (With 5 Text-figures and 1 Diagram)	IV	463
HINDLE, E. What is the Genus *Leptomonas* Kent?	V	128
HINDLE, E. Note on a Leg Abnormality in *Acanthia lectularia*. (With 1 Text-figure)	VII	260
HINDLE, E. Notes on the Biology of *Pediculus humanus*. (With a Foreword by G. H. F. Nuttall)	IX	259
HINDLE, E., *see* NUTTALL.		
HINDLE, E. and CUNLIFFE, N. Regeneration in *Argas persicus*. (With 4 Text-figures)	VI	353
HINDLE, E. and GÓZONY, L. Abderhalden's Reaction and its Application in Certain Protozoal Infections	VII	228
HINDLE, E. and LEWIS, R. C. Note on "*Crithidia*" *cleti* n. sp., parasitic in the Alimentary Canal of *Cletus varius* Dall. (With 17 Text-figures)	V	109
HINDLE, E. and MERRIMAN, G. The Sensory Perceptions of *Argas persicus* (Oken). (With 2 Diagrams)	V	203
HOLMES, J. D. E. The Treatment of Surra in Horses by Means of Arsenic and its derivatives	III	73
HOLMES, J. D. E. The Cure of Surra in Horses by the administration of Arsenic. (With Plates XXII—XXVII)	III	288
HOWARD, C. W. An experiment in fumigation of ticks	IV	164
HOWLETT, F. M. The Influence of Temperature upon the Biting of Mosquitoes. (With 4 Text-figures)	III	479
HOWLETT, F. M. On the Collection and Preservation of Insects. (With 3 Text-figures)	III	485
HOWLETT, F. M. Note on Head- and Body-Lice and upon Temperature Reactions of Lice and Mosquitoes	X	186
HUFFMAN, O. V. The embryos of *Filaria loa*. (With Plate IV)	IV	75
HUFFMAN, O. V. The Kurloff-body, a spurious parasite. (With 11 Text-figures)	IV	457

	VOL.	PAGE
HUFFMAN, O. V., *see* WOOLLEY.		
HUFFMAN, O. V. and WHERRY, W. B. A description of four *Filaria loa* from the same patient. (With Plate II)	IV	7
IMMS, A. D. On the Larval and Pupal Stages of *Anopheles maculipennis* Meigen. (With Plates IX and X)	I	103
IMMS, A. D. The Scope and Aims of Applied Entomology . . .	VI	69
INNES, J. A. *Gastrothylax bubalis* n. sp., with a few Notes on the Genus *Gastrothylax* (Poirier). (With 8 Text-figures)	V	217
INNES, J. A. and CAMPBELL, A. E. The Occurrence of *Oxyuris vermicularis* in the Human Vermiform Appendix	VII	189
JEPPS, M. W., *see* DOBELL.		
JEPPS, M. W. and DOBELL, C. *Dientamoeba fragilis* n. g., n. sp., a new intestinal Amoeba from man. (With Plate VII)	X	352
JOHNSON, J. C. Observations on mammalian erythrocytes . . .	VI	276
JOHNSTON, T. H., *see* HARRISON.		
JOHNSTONE, J. *Tetrarhynchus erinaceus* van Beneden. I. Structure of larva and adult worm. (With Plates XIX—XXIV and 9 Text-figures)	IV	364
JORDAN, K. and ROTHSCHILD, The Hon. N. C. Revision of the Non-Combed Eyed Siphonaptera. (With Plates I—VII and Figure) .	I	1
KEILIN, D. Recherches sur les Anthomyides à Larves Carnivores. (Avec planches V à XV et XLI figures dans le texte)	IX	325
KEILIN, D. On the occurrence of a Cephaline Gregarine, *Leidyana tineï* n. sp., in Lepidopterous Larvae. (With Plate IX and 1 Text-figure)	X	406
LAWS, H. E., *see* COOPER.		
LEBOUR, M. V. A Contribution to the Life History of *Echinostomum secundum*, Nicoll. (With Plate XXIV)	I	352
LEBOUR, M. V. A review of the British marine cercariae. (With Plates XXV—XXIX)	IV	416
LEBOUR, M. V. Some Larval Trematodes from Millport. (With Plate I)	VII	1
LEIGH-SHARPE, W. H. *Calliobdella lophii*. (With 5 Text-figures) . .	VII	204
LEIGH-SHARPE, W. H. *Ganymedes cratere* n. g. et sp. (With 6 Text-figures)	VIII	1
LEIGH-SHARPE, W. H. *Lernaeopoda scyllicola* n. sp., a Parasitic Copepod of *Scyllium canicula*. (With 6 Text-figures)	VIII	262
LEIGH-SHARPE, W. H. *Platybdella anarrhichae*. (With a Note, Erratum, and an Appendix. (With 11 Text-figures)	VIII	274
LEIPER, R. T. Note on the Anatomy of *Cystidicola farionis* . . .	I	193
LEIPER, R. T. The Structure and Relationships of *Gnathostoma siamense* (Levinsen)	II	77
LEWIN, K. R. The nuclear structure and sporulation of *Agrippina bona* Strickland. (With Plate XVIII and 8 Text-figures) . . .	VI	257
LEWIS, R. C., *see* HINDLE.		
LUHS, T., *see* DSCHUNKOWSKY.		

	VOL.	PAGE
McCoy, G. W. A microfilaria (*Microfilaria rosenaui* n. sp.) from the California ground squirrel (*Citellus beecheyi*). (With Plate VII) .	IV	220
McCoy, G. W. and Mitzmain, M. B. The Regional Distribution of Fleas on Rodents	II	297
Macfie, J. W. S. Urethal Spirochaetosis. (With 4 Text-figures and 1 Chart)	IX	274
MacGregor, M. E. The Posterior Stigmata of Dipterous Larvae as a Diagnostic Character: with especial Reference to the Larvae incriminated in Cases of Myiasis. (With Plates XIV—XVI and 3 Text-figures) .	VII	176
Mackinnon, D. L. Observations on the Division of Spirochaetes. (With 2 Text-figures)	II	267
Mackinnon, D. L. Observations on the Effect of Various Chemical Reagents on the Morphology of Spirochaetes. (With 4 Text-figures) .	II	281
Mackinnon, D. L. Note on two new Flagellate Parasites in Fleas—*Herpetomonas ctenophthalmi* n. sp., and *Crithidia hystrichopsyllae* n. sp. (With Plate III)	II	288
Mackinnon, D. L. New Protist Parasites from the Intestine of Trichoptera. (With Plate XVIII)	III	245
Mackinnon, D. L. Herpetomonads from the Alimentary Tract of certain Dung-Flies. (With Plate XIX and 4 Text-figures)	III	255
Mackinnon, D. L. On some more protozoan parasites from Trichoptera. (With Plate III and 8 Text-figures)	IV	28
Mackinnon, D. L. Protists parasitic in the Larva of the Crane-fly, *Tipula* sp. (Preliminary Note.) (With 27 Text-figures)	V	175
Masterman, E. W. G. Hirudinea as Human Parasites in Palestine .	I	182
Maxwell-Lefroy, H. Notes on entomological boxes	IV	174
Meggitt, F. J. On the Anatomy of a Fowl Tapeworm, *Amoebataenia sphenoides* von Linstow. (With Plates XX and XXI) . .	VII	262
Meggitt, F. J. A New Species of Tapeworm from a Parakeet, *Brotogerys tirica*. (With Plates VI and VII and 4 Text-figures) . . .	VIII	42
Meggitt, F. J. A tri-radiate tapeworm (*Anoplocephala perfoliata* Goeze) from the horse. (With Plate XVIII and 2 Text-figures) . . .	VIII	379
Meggitt, F. J. A contribution to the knowledge of the tapeworms of fowls and sparrows. (With Plates XIX—XXI and 1 Text-figure) .	VIII	390
Merriman, G. The geographical distribution of *Ornithodorus moubata* (Murray, 1877). (With a Map)	IV	168
Merriman, G., *see* Hindle, *see* Nuttall, *see* Strickland.		
Minchin, E. A. Note on the Polymorphism of *Trypanosoma gambiense*. (With Plate XVII)	I	236
Mitter, S. N. Note on *Gnathostomum spinigerum*. (With Plate V) .	V	150
Mitzmain, M. B., *see* McCoy.		
Murray, C. H. Note on the Anatomy of the Bed Bug (*Acanthia*) *lectularia* L. (With Plates XXII and XXIII and 40 Text-figures) . .	VII	278
Nicoll, W. On the Entozoa of Fishes from the Firth of Clyde. (With Plate XXIX)	III	322
Nicoll, W. On two new Trematode Parasites from British Food-fishes. (With Plate IX)	V	197

	VOL.	PAGE
NICOLL, W. New Trematode Parasites from Fishes of the English Channel. (With Plate XI)	V	238
NICOLL, W. Recent progress in our knowledge of Parasitic Worms. A paper read at the British Association for the Advancement of Science. Annual Meeting, 1912, Section D—Zoology	VI	141
NICOLL, W. Trematode Parasites from Food-fishes of the North Sea. (With Plate XIII)	VI	188
NICOLL, W. The Trematode Parasites of North Queensland. I. (With Plates XXIII and XXIV)	VI	333
NICOLL, W. The Trematode Parasites of North Queensland. II. Parasites of Birds. (With Plates VI and VII)	VII	105
NICOLL, W. A List of the Trematode Parasites of British Marine Fishes	VII	339
NICOLL, W. The Trematode Parasites of North Queensland. III. Parasites of Fishes. (With Plates IV and V)	VIII	22
NICOLL, W. Observations on the Influence of Salt and other Agents in modifying the Larval Development of the Hookworm: *Ankylostoma duodenale* and *Necator americanus*	IX	155
NICOLL, W. On the Occurrence of Hydatid Cysts in Monkeys	X	288
NICOLL, W. *Dolichopera macalpini* n. sp., a Trematode Parasite of Australian Poisonous Snakes	X	290
NICOLL, W. The Trematode parasites of North Queensland. (With Plate VIII)	X	368
NUTTALL, G. H. F. Note on the Behaviour of *Spirochaetae* in *Acanthia lectularia*	I	143
NUTTALL, G. H. F. The Transmission of *Trypanosoma lewisi* by Fleas and Lice	I	296
NUTTALL, G. H. F. Note on the Mode of Multiplication of *Piroplasma bovis* as observed in the living Parasite. (With 1 Diagram)	II	341
NUTTALL, G. H. F. The Drug Treatment of Canine Piroplasmosis	II	409
NUTTALL, G. H. F. On Haematozoa occurring in Wild Animals in Africa. (With Plates X and XI)	III	108
NUTTALL, G. H. F. The Degenerative Appearances observed in *Piroplasma canis* and in *Trypanosoma brucei* following upon Drug Treatment. (With 2 Diagrams)	III	202
NUTTALL, G. H. F. Remarks on the Note by Dr Andrew Balfour	III	321
NUTTALL, G. H. F. New Species of Ticks (*Ixodes, Amblyomma, Rhipicephalus*). (With 7 Text-figures)	III	408
NUTTALL, G. H. F. On the adaptation of ticks to the habits of their hosts. (With 26 Text-figures)	IV	46
NUTTALL, G. H. F. On symptoms following tick-bites in man	IV	89
NUTTALL, G. H. F. Notes on Ticks. I. (1) *Ixodes caledonicus*, description of male, together with considerations regarding the structure of the foot in male *Ixodes*. (2) Types of parasitism in ticks, illustrated by a Diagram, together with some remarks upon longevity in ticks. (3) Regarding the loss of life in ticks occurring on wandering hosts. (With 2 Text-figures)	IV	175
NUTTALL, G. H. F. Notes on Ticks. II. (1) New Species (*Amblyomma, Haemaphysalis*). (2) *Ixodes putus*: Description of the hitherto unknown Larval Stage. (With 9 Text-figures)	V	50

	VOL.	PAGE
NUTTALL, G. H. F. Note on *Rossiella rossi* (Nuttall, 1910) occurring in the Jackal in British East Africa	V	61
NUTTALL, G. H. F. In Memoriam: Adelchi Negri. (With Portrait, Plate VI)	V	151
NUTTALL, G. H. F. In Memoriam: Wilhelm Dönitz. (With Portrait, Plate XIII)	V	253
NUTTALL, G. H. F. The Herter Lectures: I. Spirochaetosis	V	262
NUTTALL, G. H. F. The Herter Lectures: II. Trypanosomiasis	V	275
NUTTALL, G. H. F. Observations on British Rat-fleas. July—October, 1911	VI	1
NUTTALL, G. H. F. Note on Colouration in Ticks. (With Plate VII)	VI	49
NUTTALL, G. H. F. Observations on the Biology of Ixodidae. Part I. Dealing with: *Ixodes putus* (Pickard-Cambridge, 1876) Neumann, 1899. 2. *Ixodes canisuga* Johnston, 1849. 3. *Ixodes hexagonus* Leach, 1815. 4. *Ixodes ricinus* (Linnaeus, 1758) Latreille, 1804. 5. *Haemaphysalis leachi* (Audouin, 1827) Neumann, 1897. 6. *Haemaphysalis punctata* Canestrini and Fanzago, 1877. 7. *Hyalomma aegyptium* (Linnaeus, 1758) Koch, 1844. 8. *Rhipicephalus appendiculatus* Neumann, 1908. (With 2 Text-figures)	VI	68
NUTTALL, G. H. F. Notes on Ticks. III. On four new species of *Ixodes*. (With 4 Text-figures)	VI	131
NUTTALL, G. H. F. Parthenogenesis in Ticks. (Preliminary Note)	VI	139
NUTTALL, G. H. F. *Rhipicephalus appendiculatus*: Variation in Size and Structure due to Nutrition. (With 4 Text-figures)	VI	195
NUTTALL, G. H. F. The Herter Lectures. III. Piroplasmosis. (With 14 Text-figures)	VI	302
NUTTALL, G. H. F. "Tick Paralysis" in Man and Animals. Further Published Records, with Comments	VII	95
NUTTALL, G. H. F. Tick Abnormalities. (With 11 Text-figures)	VII	250
NUTTALL, G. H. F. Penetration of *Ixodes* beneath the Skin	VII	258
NUTTALL, G. H. F. Observations on the Biology of Ixodidae. Part II. Dealing with *Amblyomma hebraeum*, *A. variegatum*, *A. splendidum*, *Dermacentor reticulatus*, *D. venustus*, *Haemaphysalis cinnabarina*, *H. concinna*, *H. inermis*, *Hyalomma aegyptium*, *H. syriacum*, *Ixodes putus*, *Rhipicephalus appendiculatus*, *R. bursa*, *R. sanguineus*	VII	408
NUTTALL, G. H. F. Artificial Parthenogenesis in Ticks	VII	457
NUTTALL, G. H. F. Experimental Drug Treatment of East Coast Fever of Cattle. (With 1 Chart)	VIII	56
NUTTALL, G. H. F. Notes on Ticks. IV. (Relating to the Genus *Ixodes* and including a description of three new Species and two new Varieties). (With 21 Text-figures)	VIII	294
NUTTALL, G. H. F. Studies on *Pediculus*. I. The copulatory apparatus and the process of copulation in *Pediculus humanus*. (With Plates III and IV and 12 Text-figures)	IX	293
NUTTALL, G. H. F. Bibliography of *Pediculus* and *Phthirus*, including Zoological and Medical Publications dealing with Human Lice, their Anatomy, Biology, Relation to Disease, etc., and Prophylactic Measures directed against them	X	1

	VOL.	PAGE
NUTTALL, G. H. F. The Part played by *Pediculus humanus* in the Causation of Disease. (With Plate I)	X	43
NUTTALL, G. H. F. The Biology of *Pediculus humanus*. (With Plates II and III and 12 Text-figures)	X	80
NUTTALL, G. H. F. The pathological effects of *Phthirus pubis*	X	375
NUTTALL, G. H. F. The Biology of *Phthirus pubis*. (With 9 Figures)	X	383
NUTTALL, G. H. F. Combating Lousiness among Soldiers and Civilians. (With Plates X—XIII and 26 Text-figures)	X	411
NUTTALL, G. H. F., *see* HADWEN, *see* WARBURTON.		
NUTTALL, G. H. F., COOPER, W. F. and ROBINSON, L. E. The Structure and Biology of *Haemaphysalis punctata* Canestrini and Fanzago. I. (With Plates XII—XVI)	I	152
NUTTALL, G. H. F., COOPER, W. F. and ROBINSON, L. E. On the Structure of "Haller's Organ" in the Ixodoidea. (With Plate XVIII and 1 Text-figure)	I	238
NUTTALL, G. H. F., COOPER, W. F. and ROBINSON, L. E. On the Structure of the Spiracles of a Tick—*Haemaphysalis punctata* Canestrini and Fanzago. (With Plates XXII and XXIII)	I	347
NUTTALL, G. H. F. and FANTHAM, H. B. *Theileria parva*, the Parasite of East Coast Fever in Cattle. (With Plate XII and 2 Charts)	III	117
NUTTALL, G. H. F., FANTHAM, H. B. and PORTER, A. Observations on *Theileria parva*, the Parasite of East Coast Fever of Cattle. (With 2 Charts and 4 Diagrams)	II	325
NUTTALL, G. H. F. and GRAHAM-SMITH, G. S. The Mode of Multiplication of *Piroplasma bovis* and *P. pitheci* in the Circulating Blood compared with that of *P. canis*, with Notes on other species of *Piroplasma*. (With Plate XI and Diagrams I—IV)	I	134
NUTTALL, G. H. F. and GRAHAM-SMITH, G. S. Notes on the Drug Treatment of Canine Piroplasmosis	I	220
NUTTALL, G. H. F. and GRAHAM-SMITH, G. S. The Development of *Piroplasma canis* in Culture. (With Plate XIX and 1 Text figure)	I	243
NUTTALL, G. H. F. and GRAHAM-SMITH, G. S. *Theileria parva*: Attempts at Cultivation	II	208
NUTTALL, G. H. F. and GRAHAM-SMITH, G. S. Note on Attempts to infect the Fox and the Jackal with *Piroplasma canis*	II	211
NUTTALL, G. H. F. and GRAHAM-SMITH, G. S. Notes on Immunity in Canine Piroplasmosis	II	215
NUTTALL, G. H. F. and HADWEN, S. The Successful Drug Treatment of Canine Piroplasmosis, together with Observations upon the effect of Drugs on *Piroplasma canis*. (With 1 Text-figure)	II	156
NUTTALL, G. H. F. and HADWEN, S. Further Experiments upon the Drug Treatment of Canine Piroplasmosis	II	229
NUTTALL, G. H. F. and HADWEN, S. The Drug Treatment of Piroplasmosis in Cattle. (With 7 Charts)	II	236
NUTTALL, G. H. F. and HINDLE, E. Conditions influencing the transmission of East Coast Fever	VI	321
NUTTALL, G. H. F. and HINDLE, E. Experiments in the "Tryposafrol"		

	VOL.	PAGE
Treatment of Trypanosomiasis (*T. brucei*) in Guinea-Pigs and of Piroplasmosis in Dogs	VIII	218
NUTTALL, G. H. F. and MERRIMAN, G. The process of copulation in *Ornithodorus moubata*. (With 1 Text-figure)	IV	39
NUTTALL, G. H. F. and STRICKLAND, C. Note on the Prevalence of Intestinal Worms in Dogs in Cambridge	I	261
NUTTALL, G. H. F. and STRICKLAND, C. On the Presence of an Anticoagulin in the Salivary Glands and Intestines of *Argas persicus*	I	302
NUTTALL, G. H. F. and STRICKLAND, C. On the Occurrence of Two Species of Parasites in Equine "Piroplasmosis" or "Biliary Fever." (With Plate III, 8 Diagrams, 1 Text-figure and 5 Charts)	V	65
NUTTALL, G. H. F. and STRICKLAND, C. Report on Rat-Fleas in Cambridgeshire	VI	18
PARSONS, A. C. *Filaria volvulus* Leuckart, its Distribution, Structure and Pathological Effects	I	359
PATTON, W. S. Inoculation of Dogs with the Parasite of Kala Azar (*Herpetomonas* (Leishmania) *donovani*) with some Remarks on the Genus *Herpetomonas*	I	311
PATTON, W. S. The Haemogregarines of Mammals and Reptiles	I	318
PATTON, W. S. A Critical Review of our Present Knowledge of the Haemoflagellates and Allied Forms	II	91
PATTON, W. S. The Haemogregarines of Mammals and Reptiles: a Rejoinder to Dr Sambon	II	144
PATTON, W. S. and STRICKLAND, C. A Critical Review of the Relation of Blood-sucking Invertebrates to the Life Cycles of the Trypanosomes of Vertebrates, with a Note on the Occurrence of a species of *Crithidia*, *C. ctenophthalmi*, in the Alimentary Tract of *Ctenophthalmus agyrtes* Heller	I	322
PETRIE, G. F. and AVARI, C. R. On the Seasonal Prevalence of *Trypanosoma lewisi* in *Mus rattus* and in *Mus decumanus* and its Relation to the Mechanism of Transmission of the Infection	II	305
PORTER, A. *Amoeba chironomi* nov. sp., parasitic in the Alimentary Tract of the Larva of a *Chironomus*. (With 21 Text-figures)	II	32
PORTER, A. The Morphology and Life-History of *Crithidia gerridis*, as found in the British Water-Bug, *Gerris paludum*. (With Plate IV)	II	348
PORTER, A. The Life-Cycle of *Herpetomonas jaculum* (Leger), parasitic in the Alimentary Tract of *Nepa cinerea*. (With Plate V and 1 Text-figure)	II	367
PORTER, A. The Leucocytozoa	III	239
PORTER, A. Some remarks on the genera *Crithidia*, *Herpetomonas* and *Trypanosoma*	IV	22
PORTER, A. Further remarks on the genera *Crithidia*, *Herpetomonas* and *Trypanosoma*, and Dr Woodcock's views thereon	IV	154
PORTER, A. The structure and life-history of *Crithidia pulicis* n. sp. parasitic in the alimentary tract of the human flea, *Pulex irritans*. (With Plate X)	IV	237

	VOL.	PAGE
PORTER, A. The Morphology and Biology of *Herpetomonas patellae* n. sp., parasitic in the Limpet, *Patella vulgata*, together with Remarks on the Pathogenic Significance of Certain Flagellates found in Invertebrates. (With 17 Text-figures)	VII	322
PORTER, A. The occurrence of *Pneumocystis carinii* in mice in England. (With 8 Text-figures)	VIII	255
PORTER, A., *see* FANTHAM, *see* NUTTALL.		
POTTS, F. A. Some Phenomena associated with Parasitism. (With 3 Text-figures)	II	42
PRATT, H. S. The Trematode Genus *Stephanochasmus* Looss in the Gulf of Mexico. (With Plate XIII)	VIII	229
RIDEWOOD, W. G., *see* BACOT.		
ROBINSON, L. E. New species of ticks (*Haemaphysalis, Amblyomma*). (With 4 Text-figures)	IV	478
ROBINSON, L. E. A Note on the Variability in Size of *Amblyomma hebraeum* Koch. (With 3 Text-figures)	VIII	11
ROBINSON, L. E., *see* NUTTALL.		
ROBINSON, L. E. and DAVIDSON, J. The Anatomy of *Argas persicus* (Oken, 1818). Part I. (With Plates I—VI and 2 Text-figures)	VI	20
ROBINSON, L. E. and DAVIDSON, J. The Anatomy of *Argas persicus* (Oken, 1818). Part II. (With Plates XIV—XVII and 8 Text-figures)	VI	217
ROBINSON, L. E. and DAVIDSON, J. The Anatomy of *Argas persicus* (Oken, 1818). Part III. (With Plates XXV—XXVIII and 8 Text-figures)	VI	382
ROTHSCHILD, Hon. N. C., *see* JORDAN.		
SANT'ANNA, J. E. On a disease in man following tick-bites and occurring in Lourenço Marques	IV	87
SCHILLING-TORGAU, V. Bemerkung zu der Arbeit Otto V. Huffman: "The Kurloff-body, a Spurious Parasite"	V	49
SCOTT, H. Notes on Nycteribiidae, with Descriptions of two New Genera. (With Plate XXIV)	IX	593
SEIDELIN, H. An iron-haematein stain. With remarks on the Giemsa stain. (With Plate V)	IV	94
SEIDELIN, H. Ingestion of Erythrocytes by Trypanosomes. (With Plate XVIII)	VII	226
SHIPLEY, A. E. Note on *Cystidicola farionis* Fischer A Threadworm parasitic in the Swim-bladder of a Trout	I	190
SHIPLEY, A. E. A Cause of Appendicitis and other Intestinal Lesions in Man and other Vertebrates	I	263
SHIPLEY, A. E. Note on the Occurrence of *Triaenophorus nodulosus* Rud. in the Norfolk Broads	I	280
SHIPLEY, A. E. Report upon two small collections of Pentastomids with the description of a new species of *Porocephalus*. (With Plate XX).	III	275
SHIPLEY, A. E. Pseudo-Parasitism	VI	351
SHIRCORE, T. O. A Note on some Helminthic Diseases with special reference to the Housefly as a natural carrier of the Ova	VIII	239

	VOL.	PAGE
SKRJABIN, K. I. Sur quelques Nématodes des Oiseaux de la Russie. (With Plates XVIII and XIX and 1 Text-figure)	IX	460
SOLTAU, A. B. Note of a case of Intestinal Infection in Man, with the Larva of *Homalomyia canicularis*	III	314
SOUTHWELL, T. The Ceylon Pearl inducing Worm. A brief Review of the Work done to date	V	27
STANNUS, H. S. Piroplasmosis among Cattle in the Mombera District, Nyasaland, 1909. (With Plate XXVIII)	III	307
STEWART, F. H. On the Development of *Ascaris lumbricoides* Lin. and *Ascaris suilla* Duj. in the Rat and Mouse. (With Plate I and 9 Text-figures)	IX	213
STEWART, F. H. On the Development of *Ascaris lumbricoides* and *A. mystax* in the Mouse. (With Plate IV)	X	189
STEWART, F. H. On the Life History of *Ascaris lumbricoides* L.	X	197
STILES, C. W. Third List of Generic Names for the "Official List of Zoological Names"	V	118
STRICKLAND, C. On the supposed Development of *Trypanosoma lewisi* in Lice and Fleas; and the Occurrence of *Crithidia ctenophthalmi* in Fleas	II	81
STRICKLAND, C. Description of a *Herpetomonas* parasitic in the alimentary tract of the common green-bottle fly, *Lucilia* sp. (With Plates VIII and IX and 2 Text-figures)	IV	222
STRICKLAND, C. *Agrippina bona* n. gen. et n. sp., representing a New Family of Gregarines. (With Plate IV and 33 Text-figures)	V	97
STRICKLAND, C. Short Description of the Larva of *Lophoscelomyia asiatica* Leicester, 1905, and Notes on the Species. (With 3 Text-figures)	VII	12
STRICKLAND, C. Note on a Case of "Tick Paralysis" in Australia	VII	379
STRICKLAND, C. The Nuclear Changes in *Agrippina bona* Strickland	VII	380
STRICKLAND, C. Observations on the blood in the East Coast Fever of Cattle	VIII	244
STRICKLAND, C. Considerations regarding an outbreak of Malaria at Morib, Federated Malay States	VIII	249
STRICKLAND, C., *see* NUTTALL, *see* PATTON, *see* SWELLENGREBEL.		
STRICKLAND, C. and MERRIMAN, G. I. Report on Rat-Fleas in Suffolk and North Essex. (With 3 Charts)	VI	2
STRICKLAND, C. and SWELLENGREBEL, N. H. Notes on *Trypanosoma lewisi* and its Relation to Certain *Arthropoda*. (With 1 Text-figure)	III	436
SWEET, G., *see* GILRUTH.		
SWELLENGREBEL, N. H. Fixation and Staining of *Trypanosoma lewisi*. (With 7 Text-figures)	III	226
SWELLENGREBEL, N. H. Normal and Abnormal Morphology of *Trypanosoma lewisi* in the blood of the Rat. (With 15 Diagrams)	III	459
SWELLENGREBEL, N. H. Note on the morphology of *Herpetomonas* and *Crithidia*, with some remarks on "physiological degeneration." (With 12 Diagrams)	IV	108
SWELLENGREBEL, N. H. The life-history of *Pleistophora gigantea* Thélohan (*Glugea giyantea* Thél.). (With Plates XVII and XVIII and 20 Diagrams)	IV	345

	VOL.	PAGE
SWELLENGREBEL, N. H. Observations on *Blastocystis hominis*. (With Plates XVI and XVII)	IX	451
SWELLENGREBEL, N. H., *see* STRICKLAND.		
SWELLENGREBEL, N. H. and STRICKLAND, C. The Development of *Trypanosoma lewisi* outside the Vertebrate Host. (With 21 Diagrams)	III	360
SWELLENGREBEL, N. H. and STRICKLAND, C. Some remarks on Dr Swingle's paper "The transmission of *Trypanosoma lewisi* by rat fleas," etc.	IV	104
SWELLENGREBEL, N. H. and WINOTO, R. M. M. The Life History of Amoebae of the *Limax* Type in the Human Intestine. (With Plate II and 1 Text-figure)	IX	266
TURNER, G. A. Bilharziosis in South Africa	I	195
VALLADARES, J. F. Equine Biliary Fever in Madras	VII	88
VILLENEUVE, J. (Appendix to paper by D. Keilin)	IX	438
WALTON, C. L. Some Results of a Survey of the Agricultural Zoology of the Aberystwyth Area. (With 5 Text-figures)	X	206
WALTON, C. L. Liver Rot of Sheep, and Bionomics of *Limnaea truncatula* in the Aberystwyth Area. (With 5 Text-figures)	X	232
WARBURTON, C. On two Collections of Indian Ticks. (With 10 Text-figures)	III	395
WARBURTON, C. Notes on the Genus *Rhipicephalus*, with the description of New Species, and the Consideration of some Species hitherto described. (With 12 Text-figures)	V	1
WARBURTON, C. On four new species and two new Varieties of the Ixodid Genus *Haemaphysalis*. (With 8 Text-figures)	VI	121
WARBURTON, C. Notes on Ticks. (With 3 Text-figures)	X	284
WARBURTON, C. and NUTTALL, G. H. F. On New Species of Ixodidae, with a Note on Abnormalities observed in Ticks. (With 26 Text-figures)	II	57
WATERSTON, J. Notes on the Morphology of Chalcidoidea bred from *Calliphora*. (With 2 Text-figures)	IX	190
WATERSTON, J. A new African Louse (*Polyplax calva* n. sp.) from *Cricetomys*. (With 2 Text-figures)	IX	199
WATSON, E. A. Dourine and the Complement Fixation Test	VIII	156
WATSON, E. A. and HADWEN, S. Trypanosomes found in Canadian Mammals. (With Plates I and II)	V	21
WEIDMAN, F. D. A Contribution to the Anatomy and Embryology of *Cladorchis* (*Stichorchis*) *subtriquetrus* Rudolphi, 1814 (Fischoeder, 1901). (With Plate V and 2 Text-figures).	X	267
WELLINGS, A. W., *see* GOODEY.		
WELLMAN, C. and WHERRY, W. B. Some new Internal Parasites of the California Ground Squirrel. (With 10 Text-figures)	III	417
WELLS, R. T. Aerial contamination as a fallacy in the study of amoebic infections by cultural methods. (With Plate VI)	IV	204
WENYON, C. M. A Trypanosome and Haemogregarine of a Tropical American Snake. (With Plate XXI)	I	314

	VOL.	PAGE
WENYON, C. M. Some Remarks on the Genus *Leucocytozoon* . . .	III	63
WENYON, C. M. A New Flagellate (*Macrostoma mesnili* n. sp.) from the Human Intestine with some Remarks on the Supposed Cysts of *Trichomonas*. (With Plate XVI and 2 Text-figures) . . .	III	210
WENYON, C. M. Oriental sore in Bagdad, together with observations on a gregarine in *Stegomyia fasciata*, the haemogregarine of dogs and the flagellates of house flies. (With Plates XII—XVI and 36 Text-figures)	IV	273
WHERRY, W. B., *see* HUFFMAN, *see* WELLMAN.		
WICKWARE, A. B. Is *Leucocytozoon anatis* the Cause of a New Disease in Ducks? (With Plates I—III)	VIII	17
WINOTO, R. M. M., *see* SWELLENGREBEL.		
WOOD, H. P., *see* BISHOPP.		
WOODCOCK, H. M. A reply to Miss Porter's note entitled "Some remarks on the genera *Crithidia*, *Herpetomonas* and *Trypanosoma*" . .	IV	150
WOOLLEY, P. G. and HUFFMAN, O. V. The ova of *Schistosoma japonicum* and the absence of spines	IV	131
YOSHIDA, S. O. Tri-radiate *Taenia crassicollis* Rud. (With Plate XX) .	VI	279
YOSHIDA, S. O. On a Second and Third Case of Infection with *Plerocercoides prolifer* Ijima, found in Japan. (With Plate XVII) . .	VII	219
YOSHIDA, S. O. Some Cestodes from Japanese Selachians. Including five New Species. (With Plate XXIII and 4 Text-figures) . . .	IX	560

INDEX OF SUBJECTS

VOLS. I—X (1908—1918)

	VOL.	PAGE
Abderhalden's reaction in protozoal diseases	VII	228
Aberystwyth area, agricultural zoology of	X	206, 232
Abnormalities, *see* Cestoda, *Cimex*, Ixodoidea		
Abothrium, *see* Vermes: Cestoda		
Abscess, *see* Protozoa: Amoebic		
Acanthia, *see Insecta*: Hemiptera		
Acanthobothrium, *see* Vermes: Cestoda		
Acanthochasmus, *see* Vermes: Trematoda		
Acarina, *see* Arachnida		
Achromaticus, *see* Protozoa		
Aëdes, *see* Insecta: Diptera		
Aephnidiogenes, *see* Vermes: Trematoda		
Aggregata, *see* Protozoa		
Agrippina, *see* Protozoa		
Akidoproctidae, *see* Insecta: Mallophaga		
Alysia, *see* Insecta: Hymenoptera		
Amblyomma, *see* Arachnida: Ixodoidea		
Amoeba, *see* Protozoa		
Amoebataenia, *see* Vermes: Cestoda		
Anaplasma marginale	IV	1
Ancylocelium, *see* Vermes: Trematoda		
Ankylostoma, *see* Vermes: Nematoda		
Ankylostomiasis in Grenada	VI	57
Annelida, protozoal parasites in, *see* Protozoa: Schizogregarines		
Anopheles, *see* Insecta: Diptera		
Anophelines, *see* Insecta: Diptera		
Anoplocephala, *see* Vermes: Cestoda		
Anthomyidae, *see* Insecta: Diptera		
Anthrax, *see* Bacteria: *Bacillus*		
Anticoagulin in ticks	I	302
Antimony treatment of surra in horses	III	99
Aphaerata, *see* Insecta: Hymenoptera		
Appendicitis, causal influence of Vermes	I 263, VII	189
Apteryx, Mallophaga from	VIII	88
Aptorchis, *see* Vermes: Trematoda		

VOL. PAGE

ARACHNIDA
ACARINA
Ixodoidea
abnormalities in . . . . . VII 250
adaptation of, to the habits of their hosts . . . IV 46
anticoagulin in, *see Argas, Haemaphysalis*
biology of . . . . . VI 68, 153
colouration in . . . . . VI 49
dipping cattle for ticks . . . . . VIII 190
eggs compared . . . . . IV 52
flagellates in . . . . . I 326
fumigation of . . . . . IV 164
Haller's organ in Ixodoidea, structure of . . . . . I 238
hypostomes compared . . . . . IV 54
Leucocytozoa in relation to . . . . . I 319
loss of life in . . . . . IV 175
oriental sore . . . . . IV 290
parthenogenesis in . . . . . VI 139
snakes as hosts . . . . . I 318
species occurring in India (list) . . . . . III 397
spiracles, structure of . . . . . I 347
tick-bites, effects of . . . . . I 302, IV 87, 89
Tick Paralysis, in Man and Animals . VI 283, 298, VII 95, 102, 379
types of parasitism illustrated . . . . . IV 175
see Protozoa: Leucocytozoa, Piroplasmosis, Spirochaetosis, *Theileria*
ARGASIDAE
Argas brumpti, observations on . . . . . VI 379
persicus, adaptation . . . . . IV 50
anatomy of . . . . . VI 20, 217, 382
anticoagulin in . . . . . I 302
regeneration in . . . . . VI 353
sensory perceptions of . . . . . V 203
spirochaetosis of fowls, carried by . . IV 463
reflexus . . . . . IV 50
reflexus var. *indicus* n. var. . . . . III 396
vespertilionis . . . . . IV 50
Ornithodorus, anticoagulin excreted . . . . . I 309
asper n. sp., from Mesopotamia . . . X 287
megnini . . . . . IV 52
moubata . . . . . IV 51, 183
copulation in . . . . . IV 39
geographical distribution of . . IV 168
Spirochaeta duttoni in . . . IV 133
Trypanosoma gambiense in (degeneration) . . . . . III 424
Trypanosoma lewisi in . . . III 384
piriformis n. sp., from India . . . X 285
savignyi . . . . . IV 51

ARACHNIDA	VOL.	PAGE
ACARINA		
Ixodoidea (*continued*)		
IXODIDAE		
abnormalities in	II	70
Amblyomma, abnormalities in	II	70
annandalei n. sp.	III	403
darlingi n. sp.	V	50
fiebrigi n. sp.	IV	482
hebraeum Koch, biology of	VII	409
variability in size	VIII	11
marmoreum Koch, abnormality in	VII	254
splendidum Giebel, biology of	VII	421
colouration of	VI	49
sublaeve Neumann, abnormality in	VII	256
variegatum (Fabricius), biology of	VII	419
colouration of	VI	49
variegatum var. *nocens* n. var.	IV	480
v-*notatum* n. sp.	III	412
Aponomma gervaisi var. *lucasi* n. var.	III	406
Boophilus annulatus (Say), abnormality in	VII	255
australis	II	71
decoloratus	II	71
Dermacentor albipictus, biology of	VI	161
hunteri, biology of	VI	155
nigrolineatus, biology of	VI	180
reticulatus, biology of	VII	421
in Wales	X	216
variabilis, life-history of	V	234
venustus, biology of	VII	425
producing tick paralysis	VI 283, 298, VII	102
Haemaphysalis, abnormalities in	II	70
aborensis n. sp.	VI	122
aciculifer n. sp.	VI	125
bispinosa var. *intermedia* n. var.	II	69
cinnabarina Koch, biology of	I 152, 238, VI 99, VII	430
capitulum, structure of	I	168
general body-form	I	164
geographical distribution	I	161
hosts attacked	I	161
literature relating to	I	179
methods of examining ticks	I	162
specific description	I	155
structure, general	I	152, 238
of spiracle	I	347
concinna Koch, biology of	VII	431
cornigera var. *anomala* n. var.	VI	128
cuspidata n. sp.	III	401

	VOL.	PAGE
ARACHNIDA		
ACARINA		
Ixodoidea		
IXODIDAE (*continued*)		
Haemaphysalis dentipalpis n. sp.	II	67
doenitzi n. sp.	II	64
hoodi n. sp.	II	62
howletti n. sp.	VI	123
humerosa n. sp.	II	60
inermis Birula, biology of	VII	434
inermis var. *aponommoides* n. var.	VI	128
kinneari n. sp.	VI	127
koningsbergeri n. sp.	II	65
leachi (Audouin), abnormality in	VII	252
biology of	VI	93
illustrated	VI	308
leachi var. *indica* n. var.	III	402
longipalpis n. sp.	III	399
montgomeryi n. sp.	V	57
proxima n. sp.	II	61
punctata = *cinnabarina* q. v.		
silacea n. sp.	IV	478
spiniceps n. sp.	II	68
vidua n. sp.	II	66
warburtoni n. sp.	V	55
Hyalomma aegyptium (Linn.)	II	71
abnormality in	VII	257
biology	VI	105, VII 436
monstrosum Nutt. and Warb. 1907; ♀ described	X	284
syriacum Koch, biology of	VII	436
Ixodes, adaptation to hosts	IV	56
geographical distribution of genus	VIII	324
hypostomes compared	IV	64
list of n. sp. and varieties not hitherto recognised	VIII	336
remarks and corrections regarding various species	VIII	334
structure of foot in	IV	176
anatis Chilton 1904, recognized as valid	VIII	317
auritulus Neumann 1904, ⊙ L described	VIII	312
caledonicus n. sp.	III	408
caledonicus Nuttall, 1910, abnormality in	VII	251
description of male	IV	176
canisuga, biology of	VI	86
in Wales	X	216
daveyi n. sp.	VI	133
dentatus var. *spinipalpis* n. var.	VIII	301
eichorni n. sp.	VIII	295
eudyptidis Maskell 1885, recognized as valid	VIII	320
fecialis n. sp.	II	58

ARACHNIDA	VOL.	PAGE
ACARINA		
Ixodoidea		
IXODIDAE (*continued*)		
Ixodes fecialis var. *aegrifossus* n. var.	II	59
gigas n. sp.	III	397
granulatus Supino 1897, recognized as valid	VIII	315
hexagonus, biology of	VI	90
in Wales	X	216
japonensis Neumann 1904, ♂ described	VIII	305
kempi n. sp.	VI	131
loricatus var. *spinosus* n. var.	III	411
nairobiensis n. sp.	VIII	299
nuttalli Lahille 1913, ♀ ⊙ L described	VIII	307
oldi n. sp.	VI	135
pilosus Koch, and tick paralysis	VII	102
putus (Pickard-Cambridge)	V	60
biology of	VI	74
and effect of bite	VII	437
ricinoides n. sp.	VI	136
ricinus, anticoagulin in	I	303
biology of	VI	91
in Wales	X	216
ricinus var. *gibossus* n. var.	VIII	300
tasmani Neumann 1899, ♀ redescribed, description of ♂ ⊙ L	VIII	321
unicavatus in Wales	X	216
victoriensis n. sp.	VIII	297
Rhipicephalus, regarding the Genus	V	1
Rhipicephalus appendiculatus Neumann, abnormality in	VII	250
biology of	VI 111, VII	438
variation in	VI	195
see Protozoal Diseases: East Coast Fever		
breviceps n. sp.	III	398
bursa Canestrini and Fanzago, biology of	VII	438
parthenogenesis in (experimental)	VI 139, VII	457
coriaceus Nutt. and Warb. falls into synonymy of *R. supertritus*	V	20
ecinctus Neumann 1901	V	15
glyphis Dönitz = *R. simus*	V	19
longiceps n. sp.	V	11
longiceps Warburton, abnormality in	VII	253
lunulatus Neumann = *R. simus* var. *lunulatus*	V	19
neavei n. sp.	V	7
neavei var. *punctatus* n. var.	V	10
maculatus Neumann	V	15, 17

VOL. PAGE

ARACHNIDA
ACARINA
Ixodoidea
IXODIDAE (*continued*)
Rhipicephalus longus Neumann = *R. falcatus* Neumann . v 20
pulchellus (Gerstäcker), abnormality in . vii 255
variation in . . vi 204
sanguineus (Latreille) . . . . . ii 75
abnormalities in . . vii 252
biology of . . . vii 448
carrier of disease . v 37
variation in . . vi 372
see Protozoa: *Haemogregarina, Piroplasma*
sculptus n. sp. . . . . v 13
simpsoni n. sp. . . . . iii 413
simus . . . . . v 19
supertritus Neumann . . . . . v 20
ACARINA VARIA
Cytoleichus banksi n. sp. . . . . iii 421
Mites, parasitic on flies . . . . . viii 511
CHERNETIDEA
Chelifer godfreyi n. sp. . . . . viii 519
nodosus Schr. . . . . viii 518
scorpioides Herm. . . . . viii 519
Pseudo-scorpions . . . . . viii 514
PENTASTOMIDA
Linguatula subtriquetra in crocodiles . . . . . iii 275
Porocephalus bifurcatus, from *Varanus* . . . . iii 277
clavatus, from *Varanus* . . . . iii 277
kachugensis n. sp. from *Kachuga lineata* . iii 277
moniliformis, from *Python* . . . . iii 276
Argas, *see* Ixodoidea
Argasidae, *see* Ixodoidea
Arsenical treatment, effect on *Trypanosoma brucei* . . . . iii 204
Arsenical treatment, of surra in horses . . . . . iii 73, 288
Arsenicals, effects on *Trypanosoma gambiense* . . . . iii 428
Arsenophenylglycin, *see* Arsenical
Arthropoda, *see* Arachnida, Crustacea, Insecta
Ascaris, *see* Vermes: Nematoda
Ascidia, *see* Protozoa: Schizogregarines
Austrogoniodes, *see* Insecta: Mallophaga

Babesia, *see* Protozoa: *Piroplasma*
BACTERIA, *see* Bacilli, *Bacillus*, *Dermatophyton*, *Spirillum*
Bacilli, colony formation studied . . . . . iii 46
division and mode of growth . . . . . iii 17
Bacillus, division and mode of growth (all in vol. iii): *B. anthracis*, p. 23; *coli*, p. 40; *coryzae segmentosus*, p. 38; *diphtheriae*, p.

VOL. PAGE

BACTERIA (*continued*)
34; *enteritidis*, p. 40; *fluorescens*, p. 40; *hofmanni*, p. 38; *pestis*, p. 33; *pneumoniae*, p. 40; *pseudo-diphtheriae*, p. 34; *subtilis*, p. 40; *typhosus*, p. 40; *xerosis*, pp. 34, 38
Bacillus pyocyaneus in *Musca domestica* . . . . . IV 68
salmonis pestis . . . . . II 201
Dermatophyton malassezi, the "bottle bacillus" . . . . . III 279
Spirillum cholerae asiaticae, division and mode of growth . . . III 40
rubrum, division and mode of growth . . . . III 40

Bagdad, *see* Protozoa: Leishmaniasis
Bats, *see* Insecta, Protozoa, Vermes (parasitic in)
Bibliography, *re* parasitic Flagellata . . . . . I 343
Pediculus and *Phthirus* . . . . . X 1-42, 582
Bilharziosis, *see* Vermes: Trematoda
Biliary Fever, *see* Protozoa: Piroplasmosis
Biometric study on *Trypanosoma gambiense* . . . . . III 455
Birds, *see* Insecta, Protozoa, Vermes (parasitic in)
Blastocystis hominis . . . . . IX 451
Blood corpuscles, observations on . . . . . VI 276
counts in Ankylostomiasis . . . . . VI 61
platelets and Haematozoa . . . . . I 257
stains for . . . . . IV 19
see Anticoagulin
Boophilus, *see* Arachnida: Ixodoidea
Boopia, *see* Insecta: Mallophaga
Bothriocephalus, *see* Vermes: Cestoda
Bovine piroplasmosis, *see* Protozoa: Piroplasmosis
Brachysaccus, *see* Vermes: Trematoda
Braconids, *see* Insecta: Hymenoptera
Branchellion, *see* Vermes: Hirudinea
Bucephalopsis, *see* Vermes: Trematoda
Buffalo, *see* Protozoa: *Spirochaeta*
Bugs, *see* Insecta: Hemiptera
Bunostomum, *see* Vermes: Nematoda

Calliobdella, *see* Vermes: Hirudinea
Calliobothrium, *see* Vermes: Cestoda
Calliphora, *see* Insecta: Diptera
Canine piroplasmosis, *see* Protozoa: Piroplasmosis
Carcinoma in liver of trout . . . . . II 197
Cattle, Trypanosomes in . . . . . III 490
see Buffalo, Dipping (against ticks), Protozoa: Piroplasmosis, Rhodesian Fever, Rinderpest, Vermes (*Strongylus* in)
Ceratophylus, *see* Insecta: Fleas
Cercaria, *see* Vermes: Trematoda
Cestoda, *see* Vermes
Ceylon Pearls, production of . . . . . V 27

VOL. PAGE

Chabertia, *see* Vermes: Nematoda
Chalcids, *see* Insecta: Hymenoptera
Chaunocephalus, *see* Vermes: Trematoda
Chelifer, *see* Arachnida: Chernetidea
Chironomus, *see* Protozoa: *Amoeba*
Choanotaenia, *see* Vermes: Cestoda
Chortophila, *see* Insecta: Diptera
Cimex, *see* Insecta: Hemiptera
Citellus, *see* Vermes: Nematoda
Cladorchis, *see* Vermes: Trematoda
Cletus, *see* Insecta: Hemiptera
Clinostomum, *see* Vermes: Trematoda
Clonorchis, *see* Vermes: Trematoda
Cod, *see* Fish
Coitocoecum, *see* Vermes: Trematoda
Cooperia, *see* Vermes: Nematoda
Copepoda, *see* Crustacea
Coptopsyllus, *see* Insecta: Fleas
Cotugnia, *see* Vermes: Cestoda
Crabs, *see* Crustacea
Crithidia, *see* Protozoa
Crossobothrium, *see* Vermes: Cestoda
CRUSTACEA
Crabs, effects of parasitism on . . . . . II 43
Lernaeopoda scyllicola n. sp (copepod) . . . . . VIII 263
see Protozoa: Schizogregarines
Ctenocephalus, *see* Insecta: Fleas
Ctenophthalmus, *see* Insecta: Fleas
Ctenopsyllus, *see* Insecta: Fleas
Culex, *see* Insecta: Diptera
Culture methods, *see* Protozoa: *Piroplasma canis*, Trypanosomes of Cattle (III 490), *Theileria*
Cylichnostomum, *see* Vermes: Nematoda
Cystidicola, *see* Vermes: Nematoda
Cystocercus, *see* Vermes: Cestoda
Cytoleichus, *see* Arachnida: Acarina

Davainea, *see* Vermes: Cestoda
Dermacentor, *see* Arachnida: Ixodoidea
Dermatophyton, *see* Bacteria
Derogenes, *see* Vermes: Trematoda
Derogenoides, *see* Vermes: Trematoda
Dientamoeba, *see* Protozoa
Diphtheria, *see* Bacteria: *Bacillus*
Diplotriaena, *see* Vermes: Nematoda
Dipping cattle for Ticks . . . . . VIII 190
Diptera, *see* Insecta: Diptera
Dipylidium, *see* Vermes: Cestoda

VOL. PAGE

Disinfestation for lice, *see* Lousiness
Distomum, *see* Vermes: Trematoda
Dog, *see* Protozoa: *Leishmania*, *Piroplasma*
see Vermes
Dog-Fish, *see* Fish
Dolichopera, *see* Vermes: Trematoda
Dönitz, W. In Memoriam. (With Portrait and Bibliography) . . v 253
Dourine, *see* Protozoa
Dracontiasis, *see* Vermes: Nematoda
Drug treatment, *see* Protozoal Diseases: East Coast Fever, Trypanosomiasis, Piroplasmosis
Ducks, *see* Protozoa: *Leucocytozoon*

East Coast Fever, *see* Protozoa
Echinochasmus, *see* Vermes: Trematoda
Echinococcus, *see* Vermes: Cestoda
Echinostomum, *see* Vermes: Trematoda
Ectenurus, *see* Vermes: Trematoda
Elephantiasis, *see* Vermes: Nematoda: Filariasis
Eleutheroschizon, *see* Protozoa
Elleipsisoma, *see* Protozoa
Embadomonas, *see* Protozoa
Empusa disease in insects . . . . . VIII 506
Endotrypanum, *see* Protozoa
Entamoeba, *see* Protozoa
Enteritis in a Tiger . . . . . II 29
Entomological boxes, note on construction of . . . . . III 486, IV 174
Entomology, applied, scope of . . . . . VII 69
Eomopon, *see* Insecta: Mallophaga
Epithelioma papulosum in fish . . . . . III 60
Eremoctenia, *see* Insecta: Diptera
Eurytrema, *see* Vermes: Trematoda

Fannia, *see* Insecta: Diptera
Fasciolopsis, *see* Vermes: Trematoda
Fibromata, *see* Fish
Filaria, *see* Vermes: Nematoda
Fish, Cestodes and Trematodes in . . . . . I 280, III 322, V 197
Cod, *see* Protozoa: *Pleistophora*
Dog-fish, neoplasm in . . . . . II 198
Fibromata in . . . . . III 59
Parasitic and other diseases in . . . . . II 193, III 54
Salmon, disease . . . . . II 200
Trout, carcinoma in liver . . . . . II 197
see Cystidicola, Myxofibroma
Turbot, pericarditis in . . . . . II 199
see Epithelioma, Protozoa (parasites): *Glugea*, Haematozoa, Haemogregarines, *Pleistophora*

VOL. PAGE

Fleas, see Insecta, *also* Protozoa: *Crithidia, Herpetomonas,* Flagellata, Gregarines, *Trypanosoma*
Flies, see Insecta: Diptera
Flukes, *see* Vermes: Trematoda: *Cladorchis*
Fox, *see* Protozoa: *Piroplasma canis*

Gamasus, see Protozoa: *Trypanosoma lewisi*
Ganymedes, see Vermes: Hirudinea
Gastrophilus, see Insecta: Diptera
Gastrothylax, see Vermes: Trematoda
Genolopa, see Vermes: Trematoda
Geophilus, see Myriapoda
Gerbil, *see* Protozoa: Herpetomonads
Gid, *see* Vermes: Cestoda
Giemsa's Romanowsky stain . . . . . IV 19, 94
Glossina, see Protozoa: *Crithidia,* Trypanosomiasis
spp. in relation to Trypanosomes . . . . . II 94, 105
Glossosiphonia, see Vermes: Hirudinea
Glugea, see Protozoa
Gnathobdellid leech, *see* Vermes: Hirudinea
Gnathostomum, see Vermes: Nematoda
Goniopsyllus, see Insecta: Fleas
Grahamella, see Protozoa
Granuloma, ulcerative, of pudenda, *see* Protozoa: Spirochaetes
"Green Fly," *see* Insecta: Hemiptera
Gregarines, *see* Protozoa
Grenada, Ankylostomiasis in . . . . . VI 57
Ground-Squirrel, *see* Squirrel
Gurleya, see Protozoa
Guinea-worm, *see* Vermes: Nematoda (*Filaria*)
Gyliauchen, see Trematoda

Habronema, see Vermes: Nematoda
Haemamoeba, see Protozoa
Haemaphysalis, see Arachnida: Ixodoidea
Haematobia, see Insecta: Diptera
Haematopinus, see Insecta: Pediculidae
see Protozoa: *Trypanosoma lewisi*
Haematotrephus, see Vermes: Trematoda
Haemaiozoa, see Protozoa
Haemoflagellates, *see* Protozoa
Haemogregarina, see Protozoa
Haemonchus, see Vermes: Nematoda
Haemopis, see Vermes: Hirudinea
Haller's organ, *see* Arachnida: Ixodoidea
Halteridium, see Protozoa
Helicometra, see Vermes: Trematoda
Helobdella, see Vermes: Hirudinea

VOL. PAGE

Hemiclepsis, see Vermes: Hirudinea
Hemipera, see Vermes: Trematoda
Hemistomum, see Vermes: Trematoda
Hemiurus, see Vermes: Trematoda
Hepatozoon, see Protozoa
Herpetomonads, *see* Protozoa
Herpetomonas, see Protozoa
Herpobdella, see Vermes: Hirudinea
Herter Lectures . . . . . v 262, 275
Heterakis, see Vermes: Nematoda
Heterodoxus, see Arachnida: Mallophaga
Heteroproctus, see Insecta: Mallophaga
Hirudinea, *see* Vermes; Protozoa: Flagellata, *Haemogregarina*, Leucocytozoa, Trypanosomiasis
Homalomyia, see Insecta: Diptera
Hoplopsyllus, see Insecta: Fleas
Horse, *see* Protozoal Diseases
see Vermes: Sclerostome, *Anoplocephala*
Hyalomma, see Arachnida: Ixodoidea
Hydatid cysts, *see* Vermes: Cestoda
Hymenolepis, see Vermes: Cestoda
Hypoderma, see Insecta: Diptera
Hystrichopsylla, see Insecta: Fleas

Immunity, *see* Protozoa: Dourine
INSECTA
collection and preservation of . . . . . III 485
Empusa disease in . . . . . VIII 506
transmission experiments with *Spirochaeta duttoni* . . . IV 134
DIPTERA
larvae, determination of by stigmata . . . . . VII 176
see Anthomyidae
Aëdes, see Stegomyia
Anopheles maculipennis, general remarks on Culicid larvae . . I 122
internal anatomy of . . . . . I 103
larva and pupa . . . . . I 103
literature relating to . . . . . I 128
Anthomyidae, carnivorous larvae of, anatomy, biology, and histology (Special Index) . . . . . IX 325
Anthomyidae, n. sp., *see Chortophila, Phaonia*
Calliphora vomitoria Linn., stigmata of larva . . . . . VII 182
Chironomus, see Protozoa
Chortophila pilipyga n sp. (see also Anthomyidae) . . . IX 440
Culex fatigans . . . . . III 479
pipiens, T. noctuae, etc. in . . . . . II 93, 111
Eremoctenia n. gen. (Nycteribiidae) . . . . . IX 600
Fannia canicularis Linn. . . . . V 161
scalaris Fab. . . . . V 161

	VOL.	PAGE
INSECTA		
DIPTERA (*continued*)		
Flies, blood-sucking, in Wales	X	220
habits and parasites of, see Special Index	VIII	440
and oriental sore	IV	290
parasitic in Wales	X	223–231
in relation to Helminthiasis	VIII	239
see Myiasis; Protozoa: *Herpetomonas*, *Spirochaeta*, *Trichomastix*		
Gastrophilus equi Clark, stigmata of larva	VII	186
Glossina, *see* Protozoa: Trypanosomiasis		
Haematobia serrata Desv., stigmata of larvae	VII	185
Homalomyia canicularis, myiasis in man	III	314,315
see Fannia		
Hypoderma bovis, biology of	VII	331
lineatum, biology of	VII	331
Lophoscelomyia asiatica Leicester 1905 (anopheline)	VII	12
Lucilia caesar Linn., stigmata of larva	VII	181
Melophagus, *see* Protozoa: Crithidia		
Mosquitoes, influence of temperature on biting of	III	479
of Ceylon	VII	133, 137 et seq.
temperature reactions and effect on biting	III	479, X 186
see Anopheles, *Lophoscelomyia*, *Stegomyia*; Malaria; Protozoa: *Crithidia*		
Mucidus scatophagoides	III	480
Musca domestica Linn., experiments with *Bacillus pyocyaneus*	IV	68
flagellates in	II	95
stigmata of larva	VII	184
Muscidae, *see* Flies		
Nycteribiidae, two new genera	IX	593
Oestris ovis Linn., stigmata of larva	VII	187
Phaonia keilini n. sp. (*see also* Anthomyidae)	IX	441
parenti n. sp. (*see also* Anthomyidae)	IX	438
Phlebotomus babu	III	480
Sarcophaga sarraceniae? Riley, stigmata of larva	VII	182
Stegomyia fasciata, biology of	IX	482, X 280
Gregarine in	IV	318
and oriental sore	IV	311
Stomoxys calcitrans Linn.	IV	84
stigmata of larva	VII	185
Tipula, *see* Protozoa		
Tripselia n. gen. (Nycteribiidae)	IX	608
Warble Flies, biology of	VII	331
FLEAS (SIPHONAPTERA)		
bibliography relating to	I	94
distribution on bodies of rodents	II	297, 304
Gregarines in	V	97
larvae, observations on	VII	157

	VOL.	PAGE
INSECTA		
FLEAS (SIPHONAPTERA) (*continued*)		
on British rats	VI	1
on *Citellus beecheyi*	II	302
revision of the non-combed eyed Siphonaptera	I	1
synopsis of genera referred to above	I	4
transmission of *Trypanosoma lewisi* by	I 296, III	440
Ceratophyllus acutus	II	299
fasciatus Bosc.	I	297
flagellates in	I	322
larva	VII	158 et seq.
gallinae Schrank, larva	VII	162 et seq.
Ctenocephalus canis Curtis, larva	VII	162 et seq.
Ctenophthalmus agyrtes	I 297, II	87, 94, 289, 314
bisoctodentatus	II	288
Ctenopsyllus musculi	II	303
Coptopsylla gen. nov.	I	5, 91
Coptopsyllus lamellifer	I	92, 99
Goniopsyllus (genus)	I	5, 92
kerguelensis	I	93, 99, 100
Hoplopsyllus anomalus	II	299
Hystrichopsylla talpae	II	288
Leptopsylla musculi Dugès, larva	VII	162 et seq.
Loemopsylla gen. nov.	I	4, 15
Key to species of	I	33
aequisetosus	I	45
cheopis	I	42, 99, 100, 300, II 298
larva of	VII	162 et seq.
chephrenis	I	64, 99
chersinus	I	47, 99, 100
cleopatrae	I	38, 99, 100
conformis	I	63
creusae	I	54, 99, 100
divergens	I	57, 99, 100
eridos	I	49, 100
erilli	I	58, 99, 100
gerbilli	I	61, 99, 100
isidis	I	56, 99, 100
longispinus	I	41, 99
mycerini	I	60, 99, 100
nesiotes	I	47, 99, 100
niloticus	I	50, 100
nubicus	I	46, 99, 100
pallidus	I	35, 99, 100
pyramidis	I	40
ramesis	I	62, 100
regis	I	62, 99, 100
scopulifer	I	52, 100

	VOL.	PAGE
INSECTA		
FLEAS (SIPHONAPTERA) (*continued*)		
Loemopsylla somalicus	I	37, 99
tortus	I	53, 100
Lycopsylla (genus)	I	5, 93
novus	I	94
Mocopsylla (genus)	I	4, 15
sjoestedti	I	15, 99
Parapsyllus (genus)	I	5, 84
Key to species of	I	85
cocyti	I	88, 99, 100
corfidii	I	89, 100
longicornis	I	85, 99, 100
simonsi	I	87, 99
Pariodontis gen. nov.	I	4, 13
riggenbachi	I	14, 99
Pulex (genus)	I	4
cheopis, *see Loemopsylla cheopis*		
irritans Linn.	I	5
larva	VII	162 et seq.
see Protozoa: *Crithidia*		
Rhopalopsyllus (genus)	I	4, 66
Key to species of	I	68
australis	I	71, 99, 100
bernhardi	I	77, 100
bohlsi	I	75, 99, 100
cacicus	I	73, 99, 100
cavicola	I	79, 99
cleophontis	I	68, 99, 100
klagesi	I	82, 100
litus	I	82
lugubris	I	74, 99, 100
lutzi	I	71
platensis	I	78, 100
roberti	I	77
Xenopsylla cheopis Rothsch., *see Loemopsylla*		
HEMIPTERA		
Acanthia, *see Cimex*		
Cimex lectularia, abnormality in	VII	260
anatomy of	VII	278
and oriental sore	IV	311
behaviour of *Trypanosoma lewisi* in	III	386
experiments with *Trypanosoma lewisi*	III	450
see Spirochaetae		
HYMENOPTERA		
Alysia manducator, braconid parasite of flies	VIII	523
Aphaereta cephalotes Hal., braconid parasite of flies	VIII	530
Braconids, *see Alysia*, *Aphaereta*		

	VOL.	PAGE
INSECTA		
HYMENOPTERA (*continued*)		
Chalcidoidea, morphology of	IX	191
bred from *Calliphora*	IX	191
Chalcids, *see Melittobia, Nasonia*		
Melittobia acasta Wlk., chalcid parasites of flies	VIII	532
Nasonia brevicornis, chalcid parasite of flies	VIII	534
Wasps, habits of	VIII	504
MALLOPHAGA		
from Marsupials	VIII	338
new family and five new genera	VII	383
respiratory system of	VIII	101
the genera and species of Mallophaga	IX	1
Akidoproctidae, new fam.	VII	392
Austrogoniodes strutheus n. g., n. sp.	VII	398
Boopia notafusca Le Souëf	VIII	347
phanerocerata n. sp.	VIII	348
spinosa n. sp.	VIII	351
unicinata n. sp.	VIII	349
Eomenopon denticulatus, n. g., n. sp.	VII	385
Heterodoxus brevispinosus n. sp.	VIII	355
longitarsus (Piaget)	VIII	353
Heteroproctus hilli n. g., n. sp.	VII	394
Latumcephalum lesouëfi n. sp.	VIII	343
Machaerilaemus latifrons n. g., n. sp.	VII	389
Myrsidea cucullaris, respiratory system of	VIII	103
Paraheterodoxus insignis n. sp.	VIII	357
Psittaconirmus australis n. g., n. sp.	VII	402
Rallicola with n. subg. *Parricola* and *Aptericola*	VIII	90–91
Rallicola (*Aptericola*) *gadowi* n. sp.	VIII	90
gracilis n. sp.	VIII	93
novae-zealandiae n. sp.	VIII	92
MISCELLANIA		
"Green Fly," *see Siphonophora*		
Cletus varius Dall, "*Crithidia*" *cleti* n. sp. in	V	109
Nepa cinerea, *Herpetomonas jaculum* in	II	367
Siphonophora rosarum Walck., anatomy of	II	1, III 1
Trichoptera, see Protozoal parasite		
PEDICULIDAE		
Haematopinus spinulosus	I	298
Crithidia in	I	323
transmits *Trypanosoma lewisi*	I	298, III 447
Pediculus capitis, see P. humanus		
Pediculus humanus, bibliography of	X	1, 582
biology	IX	228
biology (Special Index)	X	80, 186, 578
copulatory apparatus and copula in	IX	293
inheritance of sex	IX	259

VOL. PAGE

INSECTA
PEDICULIDAE (*continued*)
Pediculus humanus, lousiness in soldiers and civilians, combating it (Special Index) . . . . . x 411
part played in disease (Special Index) . . x 43, 580
Phthirus pubis, bibliography of . . . . . x 1
biology (with Special Index) . . . . x 383
pathological effects . . . . . x 375
see Lousiness
Polyplax caiva n. sp. . . . . ix 199

Jackal, *see* Protozoa: *Haemogregarina, Piroplasma canis*

Kala-Azar, *see* Protozoa, Leishmaniasis
Kurloff-body, a spurious parasite . . . . . iv 457, v 49

Lankesteria, *see* Protozoa
Latumcephalum, *see* Insecta: Mallophaga
Lebouria, *see* Vermes: Trematoda
Lecithaster, *see* Vermes: Trematoda
Lecithochirium, *see* Vermes: Trematoda
Lecithocladium, *see* Vermes: Trematoda
Leeches, *see* Vermes: Hirudinea
Leidyana, *see* Protozoa
Leioderma, *see* Vermes: Trematoda
Leishmania, *see* Protozoa
Leishmaniasis in Bagdad . . . . . iv 275
Lepidapedon, *see* Vermes: Trematoda
Lepidauchen, *see* Vermes: Trematoda
Lepoderma, *see* Vermes: Trematoda
Leptomonas, *see* Protozoa
Leptopsylla, *see* Insecta: Fleas
Lernaeopoda, *see* Crustacea
Leucocyte inclusions . . . . . vii 53
Leucocytozoa, *see* Protozoa
Leucocytozoon, *see* Protozoa
Lice, *see* Insecta: Mallophaga, Pediculidae
Limax marginatus (Müll.) as a pseudo-parasite (misprinted "*Milax*") . vi 352
Limax sp. in human stomach . . . . . vii 127
Limnaea truncatula, biology of (Special Index) . . . . . x 232
Limnatis, *see* Vermes: Hirudinea
Linguatula, *see* Arachnida: Pentastomida
Liver rot of sheep, *see* Vermes: Trematoda: *Distomum hepaticum*
Loemopsylla, *see* Insecta: Fleas
Lophoscelomyia, *see* Insecta: Diptera
Lousiness among soldiers and civilians, combating it (Special Index) . x 411
Lucilia, *see* Insecta: Diptera
Lycopsylla, *see* Insecta: Fleas

	VOL.	PAGE
Machaerilaemus, *see* Insecta: Mallophaga		
Macrostoma, *see* Protozoa		
Maculifer, *see* Vermes: Trematoda		
Malaria in Ceylon	VII	135
Morib, Malaya	VIII	249
see Insecta: Diptera		
Mallophaga, *see* Insecta		
Man, worms in	I	268
see Vermes: Hirudinea (attacking)		
Marsupials, *see Anaplasma*, *see* Insecta: Mallophaga		
Melittobia, *see* Insecta: Hymenoptera		
Melophagus, *see* Insecta: Diptera		
Merogregarina, *see* Protozoa		
Mesocoelium, *see* Vermes: Trematoda		
Methods, *see* Insecta, Culture		
Mice, *see* Protozoa: *Herpetomonas*, *Pneumocystis*		
Microfilaria, *see* Vermes: Nematoda		
Mites, *see* Arachnida: Acarina varia		
Mocopsylla, *see* Insecta: Fleas		
Mole, *see* Protozoa: *Grahamella*, *Filaria*, *Trypanosoma*		
Mollusca, *see Limnea*, *Limax*, *Tapes*		
see Protozoa: Schizogregarines		
see Vermes: Trematoda		
Moniezia, *see* Vermes: Cestoda		
Monkeys, hydatid cysts in	X	288
see Protozoa: Amoebic		
Monotremes, *see Anaplasma*		
Mosquitoes, *see* Insecta: Diptera		
see Malaria		
Mucidus, *see* Insecta: Diptera		
"Murrina" in horses, *see* Protozoa: Trypanosomiasis		
Musca, *see* Insecta: Diptera		
Muscidae, *see* Insecta: Diptera		
Myiasis due to larvae of *Homalomyia canicularis* in man	III	314, 315
Myriapoda: *Geophilus subterraneus*, as pseudo-parasite	VI	351
Myrsidea, *see* Insecta: Mallophaga		
Myxofibroma in trout	II	199
"Nagana," *see* Protozoa: *Trypanosoma brucei*		
Nasonia, *see* Insecta: Hymenoptera		
Necator, *see* Vermes: Nematoda		
Negri, Adelchi. In Memoriam, with Portrait and Bibliography	V	151
Negri bodies, *see* Rabies		
Nematoda, *see* Vermes		
Nematodirus, *see* Vermes: Nematoda		
Nepa, *see* Insecta: Hemiptera		
Neoplasm in dog-fish	II	198
Notocotylus, *see* Vermes: Trematoda		

VOL. PAGE

Nuttallia, *see* Protozoa
Nycteribiidae, *see* Insecta: Diptera

Oesophagodontus, *see* Vermes: Nematoda
Oesophagostomum, *see* Vermes: Nematoda
Oestrus, *see* Insecta: Diptera
Ophryocystis, *see* Protozoa
Opistholebes, *see* Vermes: Trematoda
Opisthorchis, *see* Vermes: Trematoda
Orchipedum, *see* Vermes: Trematoda
Oriental sore in Bagdad . . . . . IV 275
Ornithodorus, *see* Arachnida: Ixodoidea
Orygmatobothrium, *see* Vermes: Cestoda
Ostertagia, *see* Vermes: Nematoda
Oxyuris, *see* Vermes: Nematoda

Paraheterodoxus, *see* Insecta: Mallophaga
Parakeet, *see* Vermes: Cestoda
Parapsyllus, *see* Insecta: Fleas
Parasitism, effects of, in Crabs . . . . . II 43
insects . . . . . II 53
Pariodontis, *see* Insecta: Fleas
Parorchis, *see* Vermes: Trematoda
Patagifer, *see* Vermes: Trematoda
Pediculidae, *see* Insecta
Pediculus, *see* Insecta: Pediculidae
Phaonia, *see* Insecta: Diptera
Pharyngora, *see* Vermes: Trematoda
Phlebotomus, *see* Insecta: Diptera
Phthirus, *see* Insecta: Pediculidae
Phyllobothrium, *see* Vermes: Cestoda
Physaloptera, *see* Vermes: Nematoda
Pearl-inducing worm in Ceylon . . . . . V 27
Peracreadium, *see* Vermes: Trematoda
Pigs, *see* Protozoa: Spirochaetae
see Vermes: Nematoda (*Ascaris*)
Piroplasma, *see* Protozoa
Piroplasmidae, *see* Protozoa
Piroplasmosis, *see* Protozoa
Piscicola, *see* Vermes: Hirudinea
Plague, *see Bacillus*
Platybdella, *see* Vermes: Hirudinea
Platynotrema, *see* Vermes: Trematoda
Pleistophora, *see* Protozoa
Plerocercoides, *see* Vermes: Cestoda
Pneumocystis, *see* Protozoa
Podocotyle, *see* Vermes: Trematoda
Polydelphys, *see* Vermes: Nematoda

VOL. PAGE

Polyplax, see Insecta: Pediculidae
Pontobdella, see Vermes: Hirudinea
Porocephalus, see Arachnida: Pentastomida
Proserhynchus, see Vermes: Trematoda
Prosthogonimus, see Vermes: Trematoda
Proteosoma, see Protozoa
Protoclepsis, see Vermes: Hirudinea
Protomonadina, see Protozoa
PROTOZOA
degenerative appearances in . . . . . IV 124
glossary of terms relating to . . . . . I 411
in Bats, *see Achromaticus, Haemamoebae, Spirochaeta, Trypanosoma*
in *Tipula* (Insecta) . . . . . V 175
in *Trichoptera* (Insecta) . . . . . IV 28
Achromaticus vesperuginis . . . . . II 141, VII 37
Aggregata . . . . . I 369 et seq.
Agrippina bona n. g., n. sp. in fleas . . . . . V 97
Strickland, nuclear structure of . . . VI 257, VII 380
Amoeba, cultivation of . . . . . IV 204
morphology and life-cycle of . . . . . IV 209
chironomi n. sp. . . . . II 32
nuttalli n. sp. . . . . I 101
see Dientamoeba, Entamoeba
Amoebae of *Limax* type in human intestine, life history . . . IX 266
Amoebic abscess in a monkey . . . . . I 101
Biliary Fever, *see* Piroplasmosis
Crithidia . . . . . IV 22, 108, 150, 154
doubtless mistaken for Trypanosomes . . . . I 322
genus considered . . . . . I 322
genus defined . . . . . I 338
in *Haematopinus spinulosis* . . . . . I 323
in Mosquitoes . . . . . I 322
list of species and their hosts . . . . . I 340
relation to Trypanosomes . . . . . I 339
species found in fleas . . . . . II 288
various species . . . . . II 103, 142
calliphorae n. sp. . . . . IV 110
campanulata Léger . . . . . IV 32
ctenophthalmi n. sp. . . . . I 333, II 81
gerridis . . . . . II 98
gerridis in *Gerris paludum* (England) . . . . . II 348
grayi, etc. . . . . II 103 et seq.
hystrichopsyllae n. sp. (in fleas) . . . . . II 289, 292
melophagia . . . . . II 142
pulicis n. sp. . . . . IV 237
"*Crithidia*" *cleti* n. sp. . . . . V 109
Dientamoeba fragilis n. g., n. sp., in man . . . . . X 352
Dourine, complement fixation test in . . . . . VIII 156

	VOL.	PAGE
PROTOZOA (*continued*)		
East Coast Fever of Cattle, *see Theileria*		
Eleutheroschizon	I	382
Elleipsisoma thomsoni França, protozoon in blood of mole	VII	51
Embadomonas agilis n. g., n. sp.	IV	30
Endotrypanum	I	341
schaudinni	II	117
Entamoeba	IV	33
gingivalis from human mouth	IX	537
histolytica	X	294, 320
ranarum	X	294
Flagellata, bibliography, *re* parasitic forms	I	343
in Flies	IV	332
in Leeches	II	95, 99
in *Musca domestica*	II	95
pathogenic significance of	VII	322
parasites in *Tipula*	V	179
Glugea gigantea Thélohan	IV	345
shiplei parasitic in *Gadus luscus*	III	55
Grahamella	VII	49
Gregarines in Fleas	V	97
(cephaline) in lepidopterous larvae, *see Leidyana*	X	406
in *Stegomyia fasciata*	IV	318
Gurleya legeri Hesse	IV	34
Haemamoebae of bats	VII	35
Haematozoa of British Vertebrates	VII	17
in animals in Christmas Island, etc.	I	233
Haemoflagellates, critical review of	II	91
Haemogregarina anarrhichadis in catfish	V	190
canis adusti n. sp.	III	112
canis, development in ticks	IV	324
in relation to *Rhipicephalus sanguineus*	IV	329
microti n. sp.?	VII	31
muris	VII	33
sciuri n. sp.	VII	54
sylvatici n. sp.?	VII	34
Haemogregarines in mammals, frogs, tortoises	I	318
in *Mus rattus* (India)	II	319
in snakes	I	288, 292, 316, 318
in snakes, bibliography of	I	294
snakes harbouring, list of	II	144
transmitted by leeches	II	146
see Leucocytozoon		
Halteridium	II	111, VII 42
Hepatozoon perniciosum	II	151
Herpetomonads (?) in gerbils	VIII	261
Herpetomonas	IV	22, 104, 108, 150, 154
the genus considered	I	312, 322

VOL. PAGE

PROTOZOA (*continued*)
Herpetomonas, species found in fleas . . . . . II 288
aspongopi n. sp. (in "melon bug") . . . . II 202
calliphorae Swingle . . . . . IV 112
ctenophthalmi n. sp. (in fleas) . . . . . II 289
culices . . . . . II 97, 111
(*Leishmania*) *donovani* . . . . . I 311
jaculum in *Nepa cinerea* (England) . . . . II 367
luciliae in *Lucilia* sp. . . . . IV 222
muscae domesticae . . . . . I 336, IV 332
patellae n. sp. in the limpet . . . . . VII 322
pattoni in mice . . . . . VIII 128
Lankesteria culicis (Ross, 1898) . . . . . IV 318
Leidyana tinei n. sp. in larvae of moth, England . . . . X 406
Leishmania . . . . . II 126, IV 273
donovani, inoculation into dogs . . . . . I 311
Leishmaniasis in Bagdad . . . . . IV 275
Leptomonas Kent . . . . . V 128
Leucocytozoa . . . . . VII 43
in mammals . . . . . I 319
Leucocytozoon . . . . . II 111
in relation to ticks . . . . . I 319
remarks upon the genus . . . . . III 63, 239
see Haemogregarina
anatis, associated with disease in ducks . . . VIII 17
canis, development in tick
citellicola n. sp. . . . . III 417
Macrostoma mesnili n. sp., a flagellate in human intestine . . III 210
Merogregarina . . . . . I 369 et seq.
Nuttallia equi (Laveran) . . . . . V 65, 289, VII 64, 88
microti n. sp.? . . . . . VII 41
muris n. sp.? . . . . . VII 39
Ophryocystis . . . . . I 369
Piroplasma, literature on . . . . . I 142
bigeminum = *P. bovis* q. v.
bovis, development in untreated cattle . . . . II 239, 247
development arrested in treated cattle . . . II 248, 266
division observed in living parasites . . . II 341
effect of trypanblue treatment on . . . II 190, 248–250
multiplication in . . . . . I 134
notes regarding . . . . . II 239
caballi . . . . . V 77, VII 66, 88
canis, compared to *P. bovis* . . . . . II 239, 341
degeneration of, following drug treatment . . III 202
development in culture . . . . . I 243
in tick . . . . . V 37
in untreated dogs . . . . II 160, 162
effect of dye treatment on . . . . . II 163

	VOL.	PAGE
PROTOZOA (*continued*)		
Piroplasma canis, enumeration of types of	II	161
mode of multiplication	I	134
resistance to infection in jackal	II	213
in fox	II	211
see Canine piroplasmosis		
divergens	VII	42
equi	I	254
ovis	I	254
parva, *see Theileria*		
pitheci, mode of multiplication in	I	134
rossi n. sp. = *Rossiella* q.v.	III	109
Piroplasmidae, *see Nuttallia*, *Piroplasma*, *Rossiella*, *Theileria*		
Piroplasmosis (Herter Lecture)	VI	302
see Piroplasmidae		
in cattle in Nyasaland	III	307
S. Africa	VII	67
Wales	X	218
treatment of, with trypanblue	II 190, 236, IV 183, VII 67	
in different animals	VI	302
in dogs, Abderhalden's reaction in	VII	237
blood in	VIII	245
continued infectivity of the blood after "recovery"	II 223, 419	
immunity in	II	215
infection experiments on jackal and fox	II	211
in S. Africa	VII	62
treatment of	I	220
treatment (effective) with trypanblue	II 156, 163, 426, 432, VII 62	
trypanred	II 163 et seq.	
(ineffective) with arsacetin	II	158
benzopurpurine	II	414
brilliant green	II	413
Congo red	II	415
soamin	II	158
trypanblue (per os)	II 231, 428	
tryparosan	II	233
tryposafrol	VIII	218
various other drugs	II 158, 409, 430	
in donkeys	V	299
treatment with trypanblue	VII	66
in horses, biliary fever	V 65, 289	
in Madras	VII	88
in S. Africa	VII	64
treatment with trypanblue	VII	64
in mules	V	298
Pleistophora in muscles of Cod	II	193
gigantea Thélohan	IV	345
Pneumocystis carinii in mice in England	VIII	255

VOL. PAGE

PROTOZOA (*continued*)
Proteosoma . . . . . VII 46
Protomonadina . . . . . VII 52
Relapsing fever, *see* Spirochaetosis
Rhizopoda, parasitic in, *Tipula* . . . . . V 175
Rossiella rossi, parasitic in jackal . . . . . V 61
Sarcocyst in *Gazella rufifrons* . . . . . VI 52
Schizocystis . . . . . I 369 et seq.
Schizogregarines . . . . . I 369
classification and species . . . . . I 397
Selenidiidae . . . . . I 369 et seq.
Siedleckia . . . . . I 369 et seq.
Spirochaeta aboriginalis n. sp. in ulcerative granuloma . . . II 344
balbiani . . . . . II 402
bovis caffris n. sp. . . . . III 113, 319, 321
culicis . . . . . II 111
duttoni . . . . . I 144, IV 134, 183, V 265
transmission of . . . . . IV 133
gallinarum . . . . . IV 463
life-cycle of . . . . . V 122
recurrentis (*obermeieri*) . . . . I 143, 149, V 269, X 57
effects of chemical agents on . . . . II 281
process of division in . . . . . II 274
vesperuginis n. sp.? . . . . . VII 46
Spirochaetae, behaviour of, in bed-bug . . . . . I 143
in castration tumours in pigs . . . . . I 218
in caddis-fly larvae . . . . . III 251
in crystalline style of *Tapes aureus* . . . . II 392
process of division in . . . . . II 267, 399
various species . . . . . II 130
Spirochaetosis (Herter Lecture) . . . . . V 262
in fowls, *see Spirochaeta gallinarum*
in ulcerative granuloma of pudenda . . . . II 344
of Tropical Africa . . . . . VII 67
transmission to rats and mice . . . . . V 135
urethral . . . . . IX 274
Surra, *see Trypanosoma evansi*
Tetratrichomonas buccalis n. sp. . . . . IX 554
Theileria parva . . . . . I 255, II 190
attempts at cultivation in . . . . . II 208
observations on the living parasite . . . . II 325
study of stained parasites . . . . . III 117
East Coast Fever, Abderhalden's reaction in . . VII 234
attempts at treatment . . II 190, 332
blood in . . . . . VIII 244
drug treatment of . . . . VIII 56
prevalence and cause . . . VI 314
species of Ixodidae, which convey it II 327

VOL. PAGE

PROTOZOA (*continued*)
Theileria parva, East Coast Fever, transmission of . . . . VI 321
Toxoplasma sciuri . . . . . VII 54
Trichomastix trichopterae n. sp. in caddis-fly larvae . . . III 245
Trichomonas, supposed cysts of . . . . . III 214
Trypanomorpha noctuae . . . . . II 117
Trypanoplasma varium, etc. . . . . II 99 et seq.
Trypanosoma . . . . . IV 22, 150, 154
in birds . . . . . VII 25
in Canadian mammals . . . . . V 21
in cattle . . . . . V 21, 247, VII 24
in Germany . . . . . III 490
life-cycle discussed . . . . . I 322
various species considered . . . . . II 93 et seq.
various species of *Glossina*, in relation to . . . II 94, 105
see Trypanozoon
brucei, degeneration of, following drug treatment . III 204
ingesting erythrocytes . . . . VII 226
in guinea-pigs, tryposafrol treatment of . . VIII 218
observations on Nagana . . . . I 227
see Crithidia
citelli n. sp. . . . . V 24
cuniculi . . . . . VII 24
equiperdum (Dourine) . . . . . V 23
erythrolampri (in snake) . . . . . I 314
evansi, treatment of Surra in horses by arsenic and antimony . . . . . III 73, 99, 288
evotomus n. sp. . . . . V 25
gambiense, biometric study of . . . . . III 455
degeneration phenomena . . . . III 423
effect of arsenical treatment on . . . III 424
in *Ornithodorus moubata* . . . . III 424
passage through mucosa and skin . . IV 24
polymorphism in . . . . . I 236
see Crithidia
granulosum . . . . . VII 30
hippicum at Panama . . . . . IV 83
indicum . . . . . I 300
leporis-sylvaticus n. sp. . . . . V 22
lewisi . . . . . IV 111, V 24, VII 23
development in fleas, lice, ticks, bugs . . . III 360
fixation and staining of . . . . . III 226
fleas in relation to (in India) . . . . II 305
and lice as transmitters . . . I 296, IV 104
Gamasus sp., experiments with . . . . III 450
in *Haematopinus spinulosus* . . . . II 81, 93
in rat lice and fleas . . . . . II 81
in rats . . . . . II 93 et seq.

VOL. PAGE

PROTOZOA (*continued*)
Trypanosoma lewisi in rats (*M. rattus*, *M. decumanus*) in India . . II 305
in relation to fleas, lice, ticks, etc. . . . III 436
literature relating to . . . . . III 453, 478
morphology, normal and abnormal . . . III 459
multiplication forms in . . . . . VIII 184
peculiar form of . . . . . III 451
prevalence in rats . . . . . III 437
transmitted by *Haematopinus spinulosus* . I 298, III 447
seasonal prevalence in rats (India) . . . II 305
see Crithidia
noctuae . . . . . II 93, 111
peromysci n. sp. . . . . V 22
rutherfordi n. sp. . . . . V 24
soricis n. sp. . . . . V 25
talpae . . . . . VII 21
vespertilionis . . . . . VII 19
Trypanosomiasis (Herter Lecture) . . . . . V 275
Trypanozoon otospermophili n. sp. . . . . III 419

Pseudo-diphtheria, *see Bacillus*
Pseudo-parasitism . . . . . VI 351
Pseudo-scorpions, *see* Arachnida: Chernetidea
Psittaconirmus, *see* Insecta: Mallophaga
Publications received . . . . . II 435, III 390, V 155, VI 119, 425
Pulex, *see* Insecta: Fleas

Rabies in the monkey . . . . . V 226
Negri bodies, nature of . . . . . IV 255
Rallicola, *see* Insecta: Mallophaga
Rat-fleas, British . . . . . VI 1
Rats, destruction of . . . . . I 284
list of ectoparasites of . . . . . III 438
see Insecta: Fleas, distribution on bodies of rodents
see Protozoa: *Trypanosoma lewisi*
Rediae, *see* Vermes: Trematoda
Redwater in cattle, in Wales . . . . . X 218
see Protozoa: *Piroplasmosis*
Relapsing fever, of temperate climates . . . . . V 269, X 57
of Tropical Africa . . . . . IV 183, V 265
Rhipicephalus, *see* Arachnida: Ixodoidea
Rhizopoda, *see* Protozoa
Rhodesian Fever of Cattle, *see* Protozoa: *Theileria*
Rhopalopsyllus, *see* Insecta: Fleas
Rinderpest, intracorpuscular bodies in . . . . . VI 265
Rose-tree pest, *see Siphonophora*, Insecta: Miscellania
Rossiella, *see* Protozoa: Piroplasmidae
Rhynchobothrium, *see* Vermes: Cestoda

	VOL.	PAGE
Salmon disease	II	200
Saprolegnia ferax	II	200
Sarcocyst, *see* Protozoa		
Sarcophaga, *see* Insecta: Diptera		
Schistosomum, *see* Vermes: Trematoda		
Schizocystis, *see* Protozoa		
Schizogregarines, *see* Protozoa		
Sclerostomes, *see* Vermes: Nematoda		
Scolex, *see* Vermes: Cestoda		
Selenidiidae, *see* Protozoa		
Sheep, *see* Vermes (parasitic in)		
Siedleckia, *see* Protozoa		
Sigmapera, *see* Vermes: Trematoda		
Siphonaptera, *see* Insecta: Fleas		
Siphonophora, *see* Insecta: Hemiptera		
Skin, *see Dermatophyton*	III	279
Sleeping Sickness, *see* Trypanosomiasis		
Slug as a pseudo-parasite	VI	352
Snakes, *see* Protozoa: Haemogregarines, *Trypanosoma*		
Spirillum, *see* Bacteria		
Spirochaeta, *see* Protozoa		
Spirochaetosis, *see* Relapsing Fever, Protozoa: *Spirochaeta*		
Sporozoa, *see* Protozoa		
Squirrel (*Citellus beecheyi*), fleas on	II	302
parasites of	III	418
see Protozoa: *Haemogregarina*, *Toxoplasma*		
Stains, iron-haematein	IV	94
Stegomyia, *see* Insecta: Diptera		
Stephanochasmus, *see* Vermes: Trematoda		
Sterrhurus, *see* Vermes: Trematoda		
Stomoxys, *see* Insecta: Diptera		
Strigea, *see* Vermes: Trematoda		
Strongyloides, *see* Vermes: Nematoda		
Strongylus, *see* Vermes: Nematoda		
Surra, in horses, treatment by antimony and arsenic	III	73, 99, 288
Syngamus, *see* Vermes: Nematoda		
Taenia, *see* Vermes: Cestoda		
Tapes, *see* Protozoa: *Spirochaeta*		
Tetracotyle, *see* Vermes: Trematoda		
Tetrarhynchus, *see* Vermes: Cestoda		
Tetratrichomonas, *see* Protozoa		
Theileria, *see* Protozoa: Piroplasmidae		
Tick-paralysis in man and animals	VII	95, 379
Ticks, *see* Arachnida: Ixodoidea		
Tiger, *see* Vermes: Nematoda (*Physaloptera*)		
Tipula, *see* Protozoa: Flagellates		
Toxoplasma, *see* Protozoa		

VOL. PAGE

Trachobdella, *see* Vermes: Hirudinea
Treatment of Protozoal diseases, *see* Antimony, Arsenical (Surra), Piroplasmosis
Trematodes, *see* Vermes: Trematoda
Triaenophorus, *see* Vermes: Cestoda
Trichocephalus, *see* Vermes: Nematoda
Trichomastix, *see* Protozoa
Trichomonas, *see* Protozoa
Trichoptera, *see* Insecta: Miscellanea; *see* Protozoa
Trichosoma, *see* Vermes: Nematoda
Trichostrongylus, *see* Vermes: Nematoda
Trichuris, *see* Vermes: Nematoda
Triodontophorus, *see* Vermes: Nematoda
Tripselia, *see* Insecta: Diptera
Trocheta, *see* Vermes: Hirudinea
Trout, *see* Carcinoma, *Cystidicola*, Myxofibroma
Trypanblue treatment, etc., *see* Protozoa: *Piroplasma canis* and *bovis*
Trypanomorpha, *see* Protozoa
Trypanosoma, *see* Protozoa
Trypanosomiasis, *see* Protozoa
Trypanozoon, *see* Protozoa
Turbot, pericarditis in . . . . . II 199
Typhoid, *see Bacillus*

Uncinaria, *see* Vermes: Nematoda

VERMES
abnormality in, *see* Cestoda: *Anoplocephala*, *Taenia*
flies in relation to . . . . . VIII 239
in appendicitis . . . . . I 263, VII 190
in bats, *see* Nematoda: *Filaria*
in birds (*see also* below) . . . . . I 263
in Cambridge dogs . . . . . I 261
in Grenada . . . . . VI 58
parasitic, recent knowledge of . . . . . VI 141
various spp. affecting man . . . . . I 268
CESTODA
Abothrium rugosum in fish . . . . . III 355
Acanthobothrium coronatum (Rud. 1819) in Japanese Selachian . IX 571
ijimai n. sp. in Japanese Selachian . . . IX 573
Amoebotaenia sphenoides v. Linstow, anatomy of . . . VII 262
in fowls . . . . VIII 400
Anoplocephala perfoliata Goeze, tri-radiate, from horse . . VIII 379
Bothriocephalus bipunctatus in fish . . . . . III 355
Calliobothrium in fish . . . . . III 355
convolutum n. sp. in Japanese Selachian . . IX 578
eschrechtii (van Beneden 1849) in Japanese Selachian . . . . . IX 575

VOL. PAGE

VERMES
CESTODA (*continued*)
Calliobothrium nodosum n. sp. in Japanese Selachian . . . IX 585
verticillatum (Rud. 1819) van Beneden 1850 in Japanese Selachian . . . . . IX 576
Choanotaenia parina Duj. in sparrows . . . . . VIII 404
Cotugnia brotogerys n. sp. from parakeet . . . . . VIII 42
Crossobothrium angustum (Linton 1889) in Japanese Selachian . IX 563
Cystocercus portolae n. sp. from ground squirrel, California . . III 420
Davainea cesticillus Molin in grouse and fowls . . . I 263, VIII 399
dubius n. sp. in fowls . . . . . VIII 391
tetragona in fowls . . . . . I 264
urogalli in grouse . . . . . I 264, 265
Dipylidium caninum in Cambridge dogs . . . . . I 261
Echinococcus veterinorum Sieb., *see Taenia*
Gid, in sheep in Wales . . . . . X 207
Hydatid cysts in monkeys . . . . . X 288
Hymenolepis interruptus Clerc in sparrows . . . . . VIII 405
microps (Dies.) in grouse . . . . . I 263, 265
Moniezia expansa and *M. trigonophora* in sheep, Wales . . X 213
Orygmatobothrium velamentum n. sp. in Japanese Selachian . . IX 566
Phyllobothrium lactuca van Beneden 1850 in Japanese Selachian . IX 560
Plerocercoides prolifer Ijima in man, Japan . . . . . VII 219
Rhynchobothrium laciniatum n. sp. in Japanese Selachian . . IX 588
Scolex polymorphus in fish . . . . . III 355
Stilesia globipunctata (Rivolta), anatomy of . . . . . V 114
Taenia crassicollis Rud., tri-radiate form . . . . . VI 279
echinococcus in sheep in Wales . . . . . X 213
elliptica, so-called musculature of . . . . . III 217
serrata in Cambridge dogs . . . . . I 261
Tetrarhynchus erinaceus van Beneden . . . . . IV 364
unionifactor, *see* Pearl
Triaenophorus nodulosus Rud. in perch . . . . . I 280
HIRUDINEA (Leeches)
as human parasites in Palestine . . . . . I 182
bibliography relating to . . . . . III 188-199
classified list of British species . . . . . III 186
from Palestine . . . . . I 282
gnathobdellid leech from Angola . . . . . I 186
in relation to Leucocytozoa . . . . . I 319
Trypanosomes . . . . . I 339
see Protozoa: Trypanosomiasis
revision of British Species . . . . . III 130
Branchellion torpedinis . . . . . III 134
Calliobdella lophii . . . . . VII 204, VIII 1
Ganymedes cratere n. g., n. sp. . . . . VIII 1
Glossosiphonia complanata . . . . . III 158
heteroclita . . . . . III 155

	VOL.	PAGE
VERMES		
HIRUDINEA (Leeches) (*continued*)		
Haemopis sanguisuga	III	165
Helobdella stagnalis	III	162
Hemiclepsis marginata	III	151
Herpobdella atomaria	III	180
octoculata	III	177
Hirudo medicinalis	III	171
Limnatis nilotica from Palestine	I	282
Platybdella anarrhichae	VIII	274
Pontobdella muricata	III	143
Protoclepsis tessellata	III	148
Trachelobdella lubrica	III	138
Trocheta subviridis	III	183
NEMATODA		
Ankylostoma duodenale, influence of salt on larval development	IX	155
Ankylostomiasis in Grenada	VI	57
in Natal	III	312
prevention	VI	62 et seq.
Ascaris bifaria Baird (=*A. lumbricoides*)	VIII	413
capsularia Rud. in fish	VIII	360 et seq.
conocephalus in dolphin	I	271
decipiens Krabbe in fish	VIII	360 et seq.
mystax development in mice	X	189
in Cambridge dogs	I	261
lumbricoides Linn.	I	270
and appendicitis	VII	190 et seq.
development in rat and mouse	IX	213, X 189
life history of	X	197
laevissima Baird, host unknown (=*A. megalocephala*)	VIII	412
obconica Baird from fresh water snake, Brazil	VIII	413
rosmari (*A. bicolor* Baird, renamed) from walrus	VIII	373
salvini Baird (undeterminable)	VIII	417
similis Baird from seals	VIII	370
suilla Duj., development in rat and mouse	IX	213
in pigs, Wales	X	216
unduloso-striata Baird = *Heterakis vesicularis* v. infra	VIII	418
Bunostomum trigonocephalum Rudolphi, in sheep at Birmingham	VII	242
Chabertia ovina Fabricius in sheep, England	VII	242
Cooperia oncophora Railliet in sheep, Birmingham	VII	245
Cylichnostomum euproctus n. sp. in horse, England	IX	204
goldi n. sp. in horse, England	IX	210
insigne n. sp. in horse, England	IX	207
Cystidicola farionis, anatomy of	I	193
occurrence in trout	I	191
Diplotriaena bargusinica n. sp. in bird (*Turdus*), Russia	IX	471
Elephantiasis, *see* Filariasis		
Filaria in bats	VII	52

	VOL.	PAGE
VERMES		
NEMATODA (*continued*)		
Filaria in birds	VII	52
in mole's blood	VII	51
bancrofti, *see* Filariasis		
loa	IV	7
embryos of	IV	75
bibliography	IV	15, 81
medinensis (guinea-worm)	IV	7, 15
volvulus Leuckart, its distribution	I	359
anatomy of	I	363
pathological effects of	I	361
Filaria, *see Microfilaria*		
Filariasis and Mosquitoes in Ceylon	VII	128
Gnathostoma siamense	II	77
spinigerum in dog and leopard, Calcutta	V	150
Gnathostomum list of species	II	80
Habronema seurati n. sp. in *Falco*, Siberia	IX	463
Haemonchus contortus (Rudolphi) in sheep, Kent	VII	242
Heterakis vesicularis (Frölich) in gallinaceous birds and duck	VIII	418
Microfilaria rosenaui n. sp. from ground squirrel, California	IV	220
Necator americanus influence of salt on larval development	IX	155
see Ankylostomiasis		
Nematodirus filicollis (Rudolphi) in sheep, England	VII	246
in sheep, structure and biology	VIII	133
Oesophagodontus robustus Giles in horse, England	VIII	433
Oesophagostomum venulosum Rudolphi in sheep, England	VII	242
Ostertagia circumcincta Stadelmann in sheep, England	VII	242
trifurcata Ransom in sheep, England	VII	201, 243
Oxyuris vermicularis	I	269
in human appendix	VII	189 et seq.
Physaloptera praeputialis in Malay tiger	II	29
Polydelphis boddaërtii (Baird) from snake, W. Indies	VIII	416
Sclerostoma equinum	I	267
Sclerostome parasites of horse	VIII	420
Strongyloides papillosus Wedl. in sheep, Birmingham	VII	248
Strongylus filaria in calves, Wales	X	214
Syngamus trachealis Sieb.	I	265, 267
in fowls, Wales	X	215
Trichocephalus trichiurus	I	266, 272
and appendicitis	VII	190 et seq.
Trichosoma longicolle Rudolphi in grouse	I	265, 266
Trichostrongytus extenuatus Railliet, found in England	VII	247
instabilis Railliet in lamb, England	VII	246
pergracilis (Cobbold) in grouse	I	265, 266
vitrinus Looss in sheep, England	VII	246
Trichuris ovis Abildgaard in sheep, England	VII	248
Triodontophorus, the genus	VIII	422

	VOL.	PAGE
VERMES		
NEMATODA (*continued*)		
Triodontophorus brevicauda n. sp. in horse	VIII	430
intermedius Sweet in horse	VIII	423
tenuicollis, n. sp. in horse	VIII	426
Uncinaria americana, *see* Ankylostomiasis		
TREMATODA		
in British fishes	V	238
British marine fishes, list	VII	339
North Sea food-fishes	VI	188
North Queensland birds	VII	105
fish	VIII	22
reptiles and frogs	X	368
various hosts	VI	333
larval forms	VII	1
Acanthochasmus guaesitus sp. inquir. in crocodile, N. Queensland	X	372
Aephnidiogenes barbarus n. g., n. sp. in fish, N. Queensland	VIII	26
Ancylocelium typicum n. g., n. sp. in fish, England	V	198
Aptorchis aequalis n. sp. in turtle, Queensland	VI	343
aequalis Nicoll in fresh water turtle, N. Queensland	X	370
Bilharzia, *see Schistosomum*		
Brachysaccus juvenilis n. sp. in frog, N. Queensland	X	368
Bucephalopsis exilis n. sp. in fish, Queensland	VIII	39
Cercaria chromatophila sp. inq. Lebour	VII	9
Cercariae found in S. Africa	X	310
Cercariae, marine	IV	416
Chaunocephalus ferox (Rudolphi) in *Xenorhynchus*, Queensland	VII	117
Cladorchis (*Stichorchis*) *subtriquatrus* Rud. 1814 (Fisch. 1901) from *Castor*	X	267
Clinostomum hornum n. sp. in heron, Queensland	VII	123
Clonorchis sinensis Cobbold, in Queensland	VI	334
Coitocoecum gymnophallum n. g., n. sp. in fish, Queensland	VIII	25
Cystidicola farionis in swim-bladder of trout	II	195
Derogenes varicus in fish from Clyde	III	348
Derogenoides ovaculus n. g., n. sp. in fish, English Channel	V	243
Distomum hepaticum in sheep, Wales	X	232
luteum n. sp.	X	311
Dolichopera macalpini n. sp. in Australian snakes	X	290
macalpini Nicoll, figured	X	374
parvula n. sp. in carpet snake, Queensland	VI	342
Echinochasmus prosthovitellatus n. sp. in hawk, Queensland	VII	115
Echinostomum acuticauda n. sp. in ibis, Queensland	VII	110
australiasianum n. sp. in *Antigone*, Queensland	VI	337
elongatum n. sp. in night-jar, Queensland	VI	336
emollitum n. sp. in pheasant, Queensland	VII	111
hilliferum n. sp. in coot, Queensland	VII	112
ignavum n. sp. in plover, Queensland	VII	114
recolutum (Froelich) in goose, swan, Queensland	VII	115

	VOL.	PAGE
VERMES		
TREMATODA (*continued*)		
Echinostomum secundum Nicoll in molluscs	I	352
Ectenurus angusticauda n. sp. in N. Queensland fish	VIII	33
Eurytrema crucifer n. sp. in slow-worm (*Delma*), Queensland	VI	338
Fasciolopsis	VI	335
Gastrothylax bubalis n. sp. in Rhodesian hartebeest	V	217
Genolopa cacuminata n. sp. in N. Queensland fish	VIII	31
trifolifer n. sp. in N. Queensland fish	VIII	29
Gyliauchen tarachodes n. sp. in N. Queensland fish	VIII	37
Haematotrephus consimilis n. sp. in plover, Queensland	VII	124
Helicometra pulchella in fish, Clyde	III	336
Hemipera ovocaudata n. g., n. sp. in fish, English Channel	V	242
Hemistomum brachyurum n. sp. in owl, Queensland	VI	346
Hemiurus communis in fish, Clyde	III	350
lühei in fish, Clyde	III	350
Lebouria alacris in fish, Clyde	III	332
varia n. sp. in fish, Clyde	III	329
Lecithaster gibbosus in fish, Clyde	III	349
Lecithochirium dillanei n. sp. in sea snake, N. Queensland	X	373
rufoviride in fish, Clyde	III	349
Lecithocladium excisum in fish, Clyde	III	349
Leioderma cluthense in fish, Clyde	III	347
furcigerum in fish, Clyde	III	347
Lepidapedon rachiaeum in fish, Clyde	III	341
Lepidauchen stenostoma n. g., n. sp. in fish, English Channel	V	240
Lepoderma nisbeti n. sp. in *Dicrura*, Queensland	VI	341
Liver rot of sheep, in Wales (Special Index)	X	232
Maculifer sub-aequiporus n. sp. in fish, Queensland	VIII	23
Mesocoelium microon n. sp. in frogs, Queensland	VI	339
Notocotylus attenuatus (Rudolphi) in ducks and geese, Queensland	VII	125
Opistholebes amplicoelus n. sp. in fish, Queensland	VIII	36
Opisthorchis obsequens n. sp. in hawk, Queensland	VII	106
Orchipedum sufflavum n. sp. in spoonbill, Queensland	VII	108
Parorchis acanthus Nicoll, life history of	VII	2
Patagifer bilobus (Rudolphi) in ibis, Queensland	VI 338, VII	115
Peracreadium commune in fish, Clyde	III	328
genu in fish, Clyde	III	326
Pharyngora bacillaris in fish, Clyde	III	341
Platynotrema biliosum n. g., n. sp., in ibis, N. Queensland	VII	118
jecoris n. sp. in ibis, N. Queensland	VII	120
Podocotyle atomon in fish, Clyde	III	334
syngnathi n. sp. in pipe fishes, English Channel	V	238
Proserhynchus aculeatus in fish, Clyde	III	350
crucibulum in fish, Clyde	III	352
Prosthogonimus vitellatus n. sp. in *Dicrura*, Queensland	VI	345
Rediae found in S. Africa	X	310
Schistosomum haematobium in S. Africa	I	196

VOL. PAGE

VERMES
TREMATODA (*continued*)
Schistosomum japonicum, ova of . . . . . IV 131
Sigmapera cincta n. g., n. sp., in fresh water turtle, N. Queensland X 371
Stephanochasmus baccatus in fish . . . . . III 340
casus Linton in fish, Gulf of Mexico, its anatomy VIII 229
pristis in fish, Clyde . . . . . III 340
Sterrhurus brevicirrus n. sp. in fish, Queensland . . . . VIII 32
Strigea flosculus n. sp. in night-jar, Queensland . . . . VI 348
promiscua n. sp. in owl, Queensland . . . . VI 347
Tetracotyle tiliquae n. sp. in lizard, Queensland . . . . VI 349
Zoogonoides viviparus in fish, Clyde . . . . . III 348
Zoonogenus vividus n. g., n. sp. in fish (bream), England . . V 200
Xenopera insolita n. sp. in fish, Queensland . . . . . VIII 34

Warble-flies, *see* Insecta: Diptera
Wasps, *see* Insecta: Hymenoptera

Xenopera, *see* Vermes: Trematoda
Xenopsylla, *see* Insecta: Fleas

Zoogonoides, *see* Vermes: Trematoda
Zoological names, Official list of Genera . . . . . V 118
Zoonogenus, *see* Vermes: Trematoda

CAMBRIDGE: PRINTED BY J. B. PEACE, M.A., AT THE UNIVERSITY PRESS

THE UNIVERSITY OF CHICAGO PRESS

The Origin of the Earth. (The University of Chicago Science Series.) By THOMAS CHROWDER CHAMBERLIN, Head of the Department of Geology in the University of Chicago.

This book, by one of the leading geologists of the world, sets forth the disclosures that led to the rejection, one after another, of the older views of the origin of our planet, the futile attempts then made to emend these or to build others upon the same foundations, the final rejection of all these, and the construction of a radically new view based on a new dynamic foundation. The later chapters of the book treat of the early stages of the earth and of the way in which its leading processes took their start from their cosmogonic antecedents, these being held to be essential factors in the genesis of the planet. The beginning of the inquiry is set forth in the Introduction; the successive chapters are entitled: "The Gaseous Theory of Earth-Genesis in the Light of the Kinetic Theory of Gases"; "Vestiges of Cosmogonic States and Their Significance"; "The Decisive Testimony of Certain Vestiges of the Solar System"; "Futile Efforts"; "The Forbidden Field"; "Dynamic Encounter by Close Approach"; "The Evolution of the Solar Nebula into the Planetary System"; "The Juvenile Shaping of the Earth"; "Inner Reorganization of the Juvenile Earth"; "Higher Organization in the Great Contact Horizons."

xii + 272 pages, 12mo, cloth; 6s net.

Individuality in Organisms. (The University of Chicago Science Series.) By CHARLES MANNING CHILD, Associate Professor of Zoölogy in the University of Chicago.

Professor Child's work is an attempt to state, and to present evidence in support of, a conception of the nature of organic individuality which the author has developed as a result of fifteen years of investigation of the processes of reproduction and development in the lower animals. In these forms, organic individuality appears in relatively simple terms, and it is here that we must look for the key to the problem of individuality in the higher animals and man.

The author has addressed himself with remarkable success to showing the wide range of applicability of the conception of individuality of various fields, with the result that the book appeals not only to the physiologist and to the botanist, but also to the neurologist, to the psychologist, and even to the sociologist.

x + 212 pages, small 12mo, cloth; 5s net.

The Cambridge University Press
Agents for the British Empire
London, Fetter Lane, E.C. 4

CONTENTS

(*All rights reserved*)

PAGE

Index of Authors 1

Index of Subjects 16

PARASITOLOGY is published about four times a year. The numbers afterwards are issued in volumes each containing four numbers and amounting to about 500 pages, with plates and figures.

Papers for publication should be sent to Professor GEO. H. F. NUTTALL, F.R.S., Longfield, Madingley Road, Cambridge. Other communications should be addressed to the University Press, Cambridge.

Papers forwarded to the Editors for publication are understood to be offered to *PARASITOLOGY* alone, unless the contrary is stated.

Contributors receive fifty copies of their papers free. Additional copies, not exceeding one hundred (except in special cases), may be had at cost price: these should be ordered when the final proof is returned.

The subscription price is £1. 15*s*. per volume (post-free), payable in advance; single numbers 12*s*. 6*d*. net (double number 25*s*. net). *Subscribers to the Journal of Hygiene* may obtain single numbers of *PARASITOLOGY* at the reduced price of 10*s*. net, or may become subscribers at the reduced rate of £1. 5*s*. per volume. Subscriptions may be sent to any Bookseller, or to MR C. F. CLAY, MANAGER, Cambridge University Press, Fetter Lane, London, E.C. 4.

The Cambridge University Press has appointed the University of Chicago Press agents for the sale of *Parasitology* in the United States of America and has authorised them to charge the following prices: Subscription $8.75 net per volume; single numbers $3.25 net each, double numbers $6.25 net each. Subscribers to the *Journal of Hygiene* may obtain single numbers of *Parasitology* at the reduced price of $2.50 net, or may become subscribers at the reduced rate of $6.25 per volume.

The prices of back volumes are as follows:

Volumes I, II, III and IV (1908–11). Each volume in four parts, paper covers, 25*s*. net per volume. Bound in buckram, 30*s*. net per volume.

Volumes V, VI, VII VIII, IX and X (1912–18). Each volume in four parts, paper covers, 35*s*. net per volume. Bound in buckram, 40*s*. net per volume.

Cases for binding volumes can be supplied at 3*s*. 6*d*. net each.

CAMBRIDGE: PRINTED BY J. B. PEACE, M.A., AT THE UNIVERSITY PRESS.